

Common ICD-10 Codes: Pediatrics



To help you identify appropriate ICD-10-CM codes to use, APTA has compiled a list of commonly used codes in pediatric physical therapist practice. The lists are not exhaustive and are not intended to be used exclusively. It is recommended that you check in the ICD-10 Alphabetic Index and Tabular lists to ensure there is not a code with more specificity or a different code that may be more appropriate to reflect the patient's condition.

Instructions:

To best navigate the list, first download this PDF file to your computer. Then navigate the document using the search feature in the toolbar. Finally, ensure that you look at the top of each category and work down to review notes or specific instructions.

Acquired Brain injury

Code also any associated:

open wound of head (S01.-)

skull fracture (S02.-)

Excludes1: head injury NOS (S09.90)

The appropriate 7th character is to be added to each code from category S06

A — initial encounter

D — subsequent encounter

S — sequela

S06.2X Diffuse traumatic brain injury

Use Additional code, if applicable, for traumatic brain compression or herniation (S06.A-)

S06.2X0 Diffuse traumatic brain injury without loss of consciousness

S06.2X1 Diffuse traumatic brain injury with loss of consciousness of 30 minutes or less

S06.2X2 Diffuse traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes

S06.2X3 Diffuse traumatic brain injury with loss of consciousness of 1 hour to 5 hours
59 minutes

S06.2X4 Diffuse traumatic brain injury with loss of consciousness of 6 hours to 24 hours

S06.2X5 Diffuse traumatic brain injury with loss of consciousness greater than 24 hours
with return to pre-existing conscious levels

S06.2X6 Diffuse traumatic brain injury with loss of consciousness greater than 24 hours
without return to pre-existing conscious level with patient surviving

S06.2X9 Diffuse traumatic brain injury with loss of consciousness of unspecified duration

S06.30 Unspecified focal traumatic brain injury

Use Additional code, if applicable, for traumatic brain compression or herniation (S06.A-)

S06.300 Unspecified focal traumatic brain injury without loss of consciousness

S06.301 Unspecified focal traumatic brain injury with loss of consciousness of 30 minutes
or less

S06.302 Unspecified focal traumatic brain injury with loss of consciousness of 31 minutes
to 59 minutes

S06.303 Unspecified focal traumatic brain injury with loss of consciousness of 1 hour
to 5 hours 59 minutes

S06.304 Unspecified focal traumatic brain injury with loss of consciousness of 6 hours
to 24 hours

S06.305 Unspecified focal traumatic brain injury with loss of consciousness greater than
24 hours with return to pre-existing conscious level

S06.306 Unspecified focal traumatic brain injury with loss of consciousness greater than
24 hours without return to pre-existing conscious level with patient surviving

S06.307 Unspecified focal traumatic brain injury with loss of consciousness of any duration
with death due to brain injury prior to regaining consciousness

S06.308 Unspecified focal traumatic brain injury with loss of consciousness of any duration
with death due to other cause prior to regaining consciousness

S06.309 Unspecified focal traumatic brain injury with loss of consciousness of unspecified
duration

S06.31 Contusion and laceration of right cerebrum

- S06.310 Contusion and laceration of right cerebrum without loss of consciousness
- S06.311 Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less
- S06.312 Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes
- S06.313 Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes
- S06.314 Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours
- S06.315 Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level
- S06.316 Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving
- S06.317 Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness
- S06.318 Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness
- S06.319 Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration

S06.32 Contusion and laceration of left cerebrum

- S06.320 Contusion and laceration of left cerebrum without loss of consciousness
- S06.321 Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less
- S06.322 Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes
- S06.323 Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes
- S06.324 Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours
- S06.325 Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level
- S06.326 Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving
- S06.327 Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness
- S06.328 Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness
- S06.329 Contusion and laceration of left cerebrum with loss of consciousness of unspecified duration

S06.34 Traumatic hemorrhage of right cerebrum

- S06.340 Traumatic hemorrhage of right cerebrum without loss of consciousness
- S06.341 Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less
- S06.342 Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes
- S06.343 Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes
- S06.344 Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours
- S06.345 Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level
- S06.346 Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving
- S06.349 Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration

S06.35 Traumatic hemorrhage of left cerebrum

- S06.350 Traumatic hemorrhage of left cerebrum without loss of consciousness
- S06.351 Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less
- S06.352 Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes
- S06.353 Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes
- S06.354 Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours
- S06.355 Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level
- S06.356 Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving
- S06.359 Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration

S06.5X Traumatic subdural hemorrhage

- Use Additional** code, if applicable, for traumatic brain compression or herniation (S06.A-)
- S06.5X0 Traumatic subdural hemorrhage without loss of consciousness
- S06.5X1 Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less
- S06.5X2 Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes
- S06.5X3 Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes
- S06.5X4 Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours
- S06.5X5 Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level
- S06.5X6 Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving
- S06.5X9 Traumatic subdural hemorrhage with loss of consciousness of unspecified duration

S06.9X Unspecified intracranial injury

- S06.9X0 Unspecified intracranial injury without loss of consciousness
- S06.9X1 Unspecified intracranial injury with loss of consciousness of 30 minutes or less
- S06.9X2 Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes
- S06.9X3 Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59minutes
- S06.9X4 Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours
- S06.9X5 Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level
- S06.9X6 Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving
- S06.9X9 Unspecified intracranial injury with loss of consciousness of unspecified duration

S06.A Traumatic brain compression and herniation

Traumatic cerebral compression

Code first the underlying traumatic brain injury, such as:

- diffuse traumatic brain injury (S06.2-)
- focal traumatic brain injury (S06.3-)
- traumatic subdural hemorrhage (S06.5-)
- traumatic subarachnoid hemorrhage (S06.6-)

S06.A0 Traumatic brain compression without herniation

- Traumatic brain compression NOS
- Traumatic cerebral compression NOS

S06.A1 Traumatic brain compression with herniation

- Traumatic brain herniation
- Traumatic brainstem compression with herniation
- Traumatic cerebellar compression with herniation
- Traumatic cerebral compression with herniation

Arthrogryposis

Q68.8 Other specified congenital musculoskeletal deformities

- Congenital deformity of clavicle
- Congenital deformity of elbow
- Congenital deformity of forearm
- Congenital deformity of scapula
- Congenital deformity of wrist
- Congenital dislocation of elbow
- Congenital dislocation of shoulder
- Congenital dislocation of wrist

Q74.3 Arthrogryposis multiplex congenita

Autism spectrum disorders (Autistic Disorder)

F84.0 Autistic disorder

- Infantile autism
- Infantile psychosis

Kanner's syndrome
Excludes1: Asperger's syndrome (F84.5)

F84.5 Asperger's syndrome

Asperger's disorder
Autistic psychopathy
Schizoid disorder of childhood

Cerebral palsy

G80 Cerebral palsy

Excludes1: hereditary spastic paraplegia (G11.4)

G80.0 Spastic quadriplegic cerebral palsy
 Congenital spastic paralysis (cerebral)
G80.1 Spastic diplegic cerebral palsy
 Spastic cerebral palsy NOS
G80.2 Spastic hemiplegic cerebral palsy
G80.3 Athetoid cerebral palsy
 Double athetosis (syndrome)
 Dyskinetic cerebral palsy
 Dystonic cerebral palsy
 Vogt disease
G80.4 Ataxic cerebral palsy
G80.8 Other cerebral palsy
 Mixed cerebral palsy syndromes
G80.9 Cerebral palsy, unspecified
 Cerebral palsy NOS

Complete trisomy 21 syndrome

Q90 Down syndrome

Use additional code(s) to identify any associated physical conditions and degree of intellectual disabilities (F70-F79)

Q90.0 Trisomy 21, nonmosaicism (meiotic nondisjunction)
Q90.1 Trisomy 21, mosaicism (mitotic nondisjunction)
Q90.2 Trisomy 21, translocation
Q90.9 Down syndrome, unspecified
 Trisomy 21 NOS

Intellectual Disabilities (F70-F79)

Code first any associated physical or developmental disorders

Excludes1: borderline intellectual functioning, IQ above 70 to 84 (R41.83)

F70 Mild intellectual disabilities
 IQ level 50-55 to approximately 70
 Mild mental subnormality
F71 Moderate intellectual disabilities
 IQ level 35-40 to 50-55
 Moderate mental subnormality

F72 Severe intellectual disabilities

IQ 20-25 to 35-40

Severe mental subnormality

F73 Profound intellectual disabilities

IQ level below 20-25

Profound mental subnormality

F78 Other intellectual disabilities

F78.A1 SYNGAP1-related intellectual disability

Code also, if applicable, any associated:

autism spectrum disorder (F84.0)

autistic disorder (F84.0)

encephalopathy (G93.4-)

epilepsy and recurrent seizures (G40.-)

other pervasive developmental disorders (F84.8)

pervasive developmental disorder, NOS (F84.9)

F78.A9 Other genetic related intellectual disability

Code also, if applicable, any associated disorders

F79 Unspecified intellectual disabilities

Mental deficiency NOS

Mental subnormality NOS

Congenital heart defects (Complex)

Q21 Congenital malformations of cardiac septa

Excludes1: acquired cardiac septal defect (I51.0)

Q21.0 Ventricular septal defect

Roger's disease

Q21.1 Atrial septal defect

Coronary sinus defect

Patent or persistent foramen ovale

Patent or persistent ostium secundum defect (type II)

Patent or persistent sinus venosus defect

Q21.2 Atrioventricular septal defect

Common atrioventricular canal

Endocardial cushion defect

Ostium primum atrial septal defect (type I)

Q21.3 Tetralogy of Fallot

Ventricular septal defect with pulmonary stenosis or atresia, dextroposition of aorta and hypertrophy of right ventricle.

Q21.4 Aortopulmonary septal defect

Aortic septal defect

Aortopulmonary window

Q21.8 Other congenital malformations of cardiac septa

Eisenmenger's defect

Pentalogy of Fallot

Code also if applicable:

Eisenmenger's complex (I27.83)

Eisenmenger's syndrome (I27.83)

Heart transplant

Z94.1 Heart transplant status
Excludes1: artificial heart status (Z95.812)
heart-valve replacement status (Z95.2-Z95.4)

P27.1 Bronchopulmonary dysplasia originating in the perinatal period

Cystic fibrosis

E84 Cystic fibrosis

Includes: mucoviscidosis

E84.0 Cystic fibrosis with pulmonary manifestations

Use additional code to identify any infectious organism present, such as:
Pseudomonas (B96.5)

E84.1 Cystic fibrosis with intestinal manifestations

E84.11 Meconium ileus in cystic fibrosis

Excludes1: meconium ileus not due to cystic fibrosis (P76.0)

E84.19 Cystic fibrosis with other intestinal manifestations

Distal intestinal obstruction syndrome

E84.8 Cystic fibrosis with other manifestations

E84.9 Cystic fibrosis, unspecified

Developmental coordination disorders

F82 Specific developmental disorder of motor function

Clumsy child syndrome

Developmental coordination disorder

Developmental dyspraxia

Excludes1: abnormalities of gait and mobility (R26.-)

lack of coordination (R27.-)

Excludes2: lack of coordination secondary to intellectual disabilities (F70-F79)

Developmental delay

Intellectual Disabilities (F70-F79)

Code first any associated physical or developmental disorders

Excludes1: borderline intellectual functioning, IQ above 70 to 84 (R41.83)

F70 Mild intellectual disabilities

IQ level 50-55 to approximately 70

Mild mental subnormality

F71 Moderate intellectual disabilities

IQ level 35-40 to 50-55

Moderate mental subnormality

F72 Severe intellectual disabilities

IQ 20-25 to 35-40

Severe mental subnormality

F73 Profound intellectual disabilities

IQ level below 20-25

Profound mental subnormality

F78 Other intellectual disabilities

F79 Unspecified intellectual disabilities
Mental deficiency NOS
Mental subnormality NOS

F82 Specific developmental disorder of motor function

Clumsy child syndrome
Developmental coordination disorder
Developmental dyspraxia
Excludes1: abnormalities of gait and mobility (R26.-)
 lack of coordination (R27.-)
Excludes2: lack of coordination secondary to intellectual disabilities (F70-F79)

Pervasive and specific developmental disorders (F80-F89)

F84 Pervasive developmental disorders

Code also any associated medical condition and intellectual disabilities

Behavioral and emotional disorders with onset usually occurring in childhood and adolescence (F90-F98)

F98 Other behavioral and emotional disorders with onset usually occurring in childhood and adolescence

F98.2 Other feeding disorders of infancy and childhood

Excludes2: feeding difficulties (R63.3)

F90 Attention-deficit hyperactivity disorders

Includes: attention deficit disorder with hyperactivity
 attention deficit syndrome with hyperactivity
Excludes2: anxiety disorders (F40.-, F41.-)
 mood [affective] disorders (F30-F39)
 pervasive developmental disorders (F84.-)
 schizophrenia (F20.-)
F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type
F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type
F90.2 Attention-deficit hyperactivity disorder, combined type
F90.8 Attention-deficit hyperactivity disorder, other type
F90.9 Attention-deficit hyperactivity disorder, unspecified type
 Attention-deficit hyperactivity disorder of childhood or adolescence NOS
 Attention-deficit hyperactivity disorder NOS

R62 Lack of expected normal physiological development in childhood and adults

Excludes1: delayed puberty (E30.0)
 gonadal dysgenesis (Q99.1)
 hypopituitarism (E23.0)

R62.0 Delayed milestone in childhood

Delayed attainment of expected physiological developmental stage
Late talker

- Late walker
- R62.5 Other and unspecified lack of expected normal physiological development in childhood
 - Excludes1: HIV disease resulting in failure to thrive (B20)
 - physical retardation due to malnutrition (E45)
- R62.50 Unspecified lack of expected normal physiological development in childhood
 - Infantilism NOS
- R62.51 Failure to thrive (child)
 - Failure to gain weight
 - Excludes1: failure to thrive in child under 28 days old (P92.6)
- R62.52 Short stature (child)
 - Lack of growth
 - Physical retardation
 - Short stature NOS
 - Excludes1: short stature due to endocrine disorder (E34.3)
- R62.59 Other lack of expected normal physiological development in childhood

Disorder by site: Ankle

Achilles tendinopathy

** Achilles tendinopathy is not listed in ICD10

- M76.6 Achilles tendinitis
 - Achilles bursitis
 - M76.61 Achilles tendinitis, right leg
 - M76.62 Achilles tendinitis, left leg
 - ** Tendinosis is not listed in ICD10
- M76.89 Other specified enthesopathies of lower limb, excluding foot
 - M76.891 Other specified enthesopathies of right lower limb, excluding foot
 - M76.892 Other specified enthesopathies of left lower limb, excluding foot

Posterior tibialis dysfunction

**Posterior Tibial Tendon Dysfunction (PTTD) is not listed in ICD10

- M76.82 Posterior tibial tendinitis
 - M76.821 Posterior tibial tendinitis, right leg
 - M76.822 Posterior tibial tendinitis, left leg
- M76.89 Other specified enthesopathies of lower limb, excluding foot
 - M76.891 Other specified enthesopathies of right lower limb, excluding foot
 - M76.892 Other specified enthesopathies of left lower limb, excluding foot

Ligament sprain

The appropriate 7th character is to be added to each code from category S93

- A — initial encounter
- D — subsequent encounter
- S — sequela

- S86.0 Injury of Achilles tendon
 - S86.00 Unspecified injury of Achilles tendon
 - S86.001 Unspecified injury of right Achilles tendon
 - S86.002 Unspecified injury of left Achilles tendon
 - S86.01 Strain of Achilles tendon
 - S86.011 Strain of right Achilles tendon
 - S86.012 Strain of left Achilles tendon

S93.4 Sprain of ankle

Excludes2: injury of Achilles tendon (S86.0-)

- S93.40 Sprain of unspecified ligament of ankle
 - Sprain of ankle NOS
 - Sprained ankle NOS
 - S93.401 Sprain of unspecified ligament of right ankle
 - S93.402 Sprain of unspecified ligament of left ankle
- S93.41 Sprain of calcaneofibular ligament
 - S93.411 Sprain of calcaneofibular ligament of right ankle
 - S93.412 Sprain of calcaneofibular ligament of left ankle
- S93.42 Sprain of deltoid ligament
 - S93.421 Sprain of deltoid ligament of right ankle
 - S93.422 Sprain of deltoid ligament of left ankle
- S93.43 Sprain of tibiofibular ligament
 - S93.431 Sprain of tibiofibular ligament of right ankle
 - S93.432 Sprain of tibiofibular ligament of left ankle
- S93.49 Sprain of other ligament of ankle
 - Sprain of internal collateral ligament
 - Sprain of talofibular ligament
 - S93.491 Sprain of other ligament of right ankle
 - S93.492 Sprain of other ligament of left ankle

Idiopathic toe walking

R26.89 Other abnormalities of gait and mobility

Disorder by site: Foot

Plantar fasciitis

M72.2 Plantar fascial fibromatosis
Plantar fasciitis

Hallux valgus/bunions

M20.1 Hallux valgus (acquired)
Bunion

- M20.11 Hallux valgus (acquired), right foot
- M20.12 Hallux valgus (acquired), left foot

In-toeing

Q66.6 Other congenital valgus deformities of feet
Congenital metatarsus valgus

Club foot

M21.54 Acquired clubfoot

- M21.541 Acquired clubfoot, right foot
- M21.542 Acquired clubfoot, left foot

Q66.0 Congenital talipes equinovarus
Q66.89 Other specified congenital deformities of feet
Congenital clubfoot NOS

Pes planus

- Q66.5 Congenital pes planus
 - Congenital flat foot
 - Congenital rigid flat foot
 - Congenital spastic (everted) flat foot
 - Excludes1: pes planus, acquired (M21.4)
 - Q66.51 Congenital pes planus, right foot
 - Q66.52 Congenital pes planus, left foot
- M21.4 Flat foot [pes planus] (acquired)
 - Excludes1: congenital pes planus (Q66.5-)
 - M21.41 Flat foot [pes planus] (acquired), right foot
 - M21.42 Flat foot [pes planus] (acquired), left foot

Fractures

(Codes identified in this pediatric section are specific to physeal fracture. Please see the sports document for stress fractures and the orthopedic document for other commonly seen codes for fractures.)

S79 Other and unspecified injuries of hip and thigh

Note: A fracture not indicated as open or closed should be coded to closed

The appropriate 7th character is to be added to each code from subcategories S79.0 and S79.1

- A — initial encounter for closed fracture
- D — subsequent encounter for fracture with routine healing
- G — subsequent encounter for fracture with delayed healing
- K — subsequent encounter for fracture with nonunion
- P — subsequent encounter for fracture with malunion
- S — sequela
- S79.0 Physeal fracture of upper end of femur**
 - Excludes1: apophyseal fracture of upper end of femur (S72.13-)
 - nontraumatic slipped upper femoral epiphysis (M93.0-)
 - S79.00 Unspecified physeal fracture of upper end of femur
 - S79.001 Unspecified physeal fracture of upper end of right femur
 - S79.002 Unspecified physeal fracture of upper end of left femur
 - S79.01 Salter-Harris Type I physeal fracture of upper end of femur
 - Acute on chronic slipped capital femoral epiphysis (traumatic)
 - Acute slipped capital femoral epiphysis (traumatic)
 - Capital femoral epiphyseal fracture
 - Excludes1: chronic slipped upper femoral epiphysis (nontraumatic) (M93.02-)
 - S79.011 Salter-Harris Type I physeal fracture of upper end of right femur
 - S79.012 Salter-Harris Type I physeal fracture of upper end of left femur
 - S79.09 Other physeal fracture of upper end of femur
 - S79.091 Other physeal fracture of upper end of right femur
 - S79.092 Other physeal fracture of upper end of left femur
- S79.1 Physeal fracture of lower end of femur**
 - S79.10 Unspecified physeal fracture of lower end of femur
 - S79.101 Unspecified physeal fracture of lower end of right femur
 - S79.102 Unspecified physeal fracture of lower end of left femur

- S79.11 Salter-Harris Type I physeal fracture of lower end of femur
 - S79.111 Salter-Harris Type I physeal fracture of lower end of right femur
 - S79.112 Salter-Harris Type I physeal fracture of lower end of left femur
- S79.12 Salter-Harris Type II physeal fracture of lower end of femur
 - S79.121 Salter-Harris Type II physeal fracture of lower end of right femur
 - S79.122 Salter-Harris Type II physeal fracture of lower end of left femur
- S79.13 Salter-Harris Type III physeal fracture of lower end of femur
 - S79.131 Salter-Harris Type III physeal fracture of lower end of right femur
 - S79.132 Salter-Harris Type III physeal fracture of lower end of left femur
- S79.14 Salter-Harris Type IV physeal fracture of lower end of femur
 - S79.141 Salter-Harris Type IV physeal fracture of lower end of right femur
 - S79.142 Salter-Harris Type IV physeal fracture of lower end of left femur
- S79.19 Other physeal fracture of lower end of femur
 - S79.191 Other physeal fracture of lower end of right femur
 - S79.192 Other physeal fracture of lower end of left femur

S89 Other and unspecified injuries of lower leg

Note: A fracture not indicated as open or closed should be coded to closed

Excludes2: other and unspecified injuries of ankle and foot (S99.-)

The appropriate 7th character is to be added to each code from subcategories S89.0, S89.1, S89.2, and S89.3

- A — initial encounter for closed fracture
- D — subsequent encounter for fracture with routine healing
- G — subsequent encounter for fracture with delayed healing
- K — subsequent encounter for fracture with nonunion
- P — subsequent encounter for fracture with malunion
- S — sequela

S89.0 Physeal fracture of upper end of tibia

- S89.00 Unspecified physeal fracture of upper end of tibia
 - S89.001 Unspecified physeal fracture of upper end of right tibia
 - S89.002 Unspecified physeal fracture of upper end of left tibia
- S89.01 Salter-Harris Type I physeal fracture of upper end of tibia
 - S89.011 Salter-Harris Type I physeal fracture of upper end of right tibia
 - S89.012 Salter-Harris Type I physeal fracture of upper end of left tibia
- S89.02 Salter-Harris Type II physeal fracture of upper end of tibia
 - S89.021 Salter-Harris Type II physeal fracture of upper end of right tibia
 - S89.022 Salter-Harris Type II physeal fracture of upper end of left tibia
- S89.03 Salter-Harris Type III physeal fracture of upper end of tibia
 - S89.031 Salter-Harris Type III physeal fracture of upper end of right tibia
 - S89.032 Salter-Harris Type III physeal fracture of upper end of left tibia
- S89.04 Salter-Harris Type IV physeal fracture of upper end of tibia
 - S89.041 Salter-Harris Type IV physeal fracture of upper end of right tibia
 - S89.042 Salter-Harris Type IV physeal fracture of upper end of left tibia
- S89.09 Other physeal fracture of upper end of tibia

S89.091 Other physeal fracture of upper end of right tibia

S89.092 Other physeal fracture of upper end of left tibia

S89.1 Physeal fracture of lower end of tibia

S89.10 Unspecified physeal fracture of lower end of tibia

S89.101 Unspecified physeal fracture of lower end of right tibia

S89.102 Unspecified physeal fracture of lower end of left tibia

S89.11 Salter-Harris Type I physeal fracture of lower end of tibia

S89.111 Salter-Harris Type I physeal fracture of lower end of right tibia

S89.112 Salter-Harris Type I physeal fracture of lower end of left tibia

S89.12 Salter-Harris Type II physeal fracture of lower end of tibia

S89.121 Salter-Harris Type II physeal fracture of lower end of right tibia

S89.122 Salter-Harris Type II physeal fracture of lower end of left tibia

S89.13 Salter-Harris Type III physeal fracture of lower end of tibia

Excludes1: fracture of medial malleolus (adult) (S82.5-)

S89.131 Salter-Harris Type III physeal fracture of lower end of right tibia

S89.132 Salter-Harris Type III physeal fracture of lower end of left tibia

S89.14 Salter-Harris Type IV physeal fracture of lower end of tibia

Excludes1: fracture of medial malleolus (adult) (S82.5-)

S89.141 Salter-Harris Type IV physeal fracture of lower end of right tibia

S89.142 Salter-Harris Type IV physeal fracture of lower end of left tibia

S89.19 Other physeal fracture of lower end of tibia

S89.191 Other physeal fracture of lower end of right tibia

S89.192 Other physeal fracture of lower end of left tibia

S89.2 Physeal fracture of upper end of fibula

S89.20 Unspecified physeal fracture of upper end of fibula

S89.201 Unspecified physeal fracture of upper end of right fibula

S89.202 Unspecified physeal fracture of upper end of left fibula

S89.21 Salter-Harris Type I physeal fracture of upper end of fibula

S89.211 Salter-Harris Type I physeal fracture of upper end of right fibula

S89.212 Salter-Harris Type I physeal fracture of upper end of left fibula

S89.22 Salter-Harris Type II physeal fracture of upper end of fibula

S89.221 Salter-Harris Type II physeal fracture of upper end of right fibula

S89.222 Salter-Harris Type II physeal fracture of upper end of left fibula

S89.29 Other physeal fracture of upper end of fibula

S89.291 Other physeal fracture of upper end of right fibula

S89.292 Other physeal fracture of upper end of left fibula

S89.3 Physeal fracture of lower end of fibula

S89.30 Unspecified physeal fracture of lower end of fibula

S89.301 Unspecified physeal fracture of lower end of right fibula

S89.302 Unspecified physeal fracture of lower end of left fibula

S89.31 Salter-Harris Type I physeal fracture of lower end of fibula

S89.311 Salter-Harris Type I physeal fracture of lower end of right fibula

S89.312 Salter-Harris Type I physeal fracture of lower end of left fibula

S89.32 Salter-Harris Type II physeal fracture of lower end of fibula

S89.321 Salter-Harris Type II physeal fracture of lower end of right fibula

S89.322 Salter-Harris Type II physeal fracture of lower end of left fibula

S89.39 Other physeal fracture of lower end of fibula

S89.391 Other physeal fracture of lower end of right fibula

S89.392 Other physeal fracture of lower end of left fibula

S49 Other and unspecified injuries of shoulder and upper arm

The appropriate 7th character is to be added to each code from subcategories S49.0 and S49.1

A — initial encounter for closed fracture

D — subsequent encounter for fracture with routine healing

G — subsequent encounter for fracture with delayed healing

K — subsequent encounter for fracture with nonunion

P — subsequent encounter for fracture with malunion

S — sequela

S49.0 Physeal fracture of upper end of humerus

S49.00 Unspecified physeal fracture of upper end of humerus

S49.001 Unspecified physeal fracture of upper end of humerus, right arm

S49.002 Unspecified physeal fracture of upper end of humerus, left arm

S49.01 Salter-Harris Type I physeal fracture of upper end of humerus

S49.011 Salter-Harris Type I physeal fracture of upper end of humerus,
right arm

S49.012 Salter-Harris Type I physeal fracture of upper end of humerus,
left arm

S49.02 Salter-Harris Type II physeal fracture of upper end of humerus

S49.021 Salter-Harris Type II physeal fracture of upper end of humerus,
right arm

S49.022 Salter-Harris Type II physeal fracture of upper end of humerus,
left arm

S49.03 Salter-Harris Type III physeal fracture of upper end of humerus

S49.031 Salter Harris Type III physeal fracture of upper end of humerus,
right arm

S49.032 Salter Harris Type III physeal fracture of upper end of humerus,
left arm

S49.04 Salter-Harris Type IV physeal fracture of upper end of humerus

S49.041 Salter-Harris Type IV physeal fracture of upper end of humerus,
right arm

S49.042 Salter-Harris Type IV physeal fracture of upper end of humerus,
left arm

S49.09 Other physeal fracture of upper end of humerus

S49.091 Other physeal fracture of upper end of humerus, right arm

S49.092 Other physeal fracture of upper end of humerus, left arm

S49.1 Physeal fracture of lower end of humerus

S49.10 Unspecified physeal fracture of lower end of humerus

S49.101 Unspecified physeal fracture of lower end of humerus, right arm

S49.102 Unspecified physeal fracture of lower end of humerus, left arm

S49.11 Salter-Harris Type I physeal fracture of lower end of humerus

S49.111 Salter-Harris Type I physeal fracture of lower end of humerus,
right arm

S49.112 Salter-Harris Type I physeal fracture of lower end of humerus,
left arm

- S49.12 Salter-Harris Type II physeal fracture of lower end of humerus
 - S49.121 Salter-Harris Type II physeal fracture of lower end of humerus, right arm
 - S49.122 Salter-Harris Type II physeal fracture of lower end of humerus, left arm
- S49.13 Salter Harris Type III physeal fracture of lower end of humerus
 - S49.131 Salter Harris Type III physeal fracture of lower end of humerus, right arm
 - S49.132 Salter Harris Type III physeal fracture of lower end of humerus, left arm
- S49.14 Salter-Harris Type IV physeal fracture of lower end of humerus
 - S49.141 Salter-Harris Type IV physeal fracture of lower end of humerus, right arm
 - S49.142 Salter-Harris Type IV physeal fracture of lower end of humerus, left arm
- S49.19 Other physeal fracture of lower end of humerus
 - S49.191 Other physeal fracture of lower end of humerus, right arm
 - S49.192 Other physeal fracture of lower end of humerus, left arm

S59 Other and unspecified injuries of elbow and forearm

Excludes2: other and unspecified injuries of wrist and hand (S69.-)

The appropriate 7th character is to be added to each code from subcategories S59.0, S59.1, and S59.2

- A — initial encounter for closed fracture
- D — subsequent encounter for fracture with routine healing
- G — subsequent encounter for fracture with delayed healing
- K — subsequent encounter for fracture with nonunion
- P — subsequent encounter for fracture with malunion
- S — sequela

S59.0 Physeal fracture of lower end of ulna

- S59.00 Unspecified physeal fracture of lower end of ulna
 - S59.001 Unspecified physeal fracture of lower end of ulna, right arm
 - S59.002 Unspecified physeal fracture of lower end of ulna, left arm
- S59.01 Salter-Harris Type I physeal fracture of lower end of ulna
 - S59.011 Salter-Harris Type I physeal fracture of lower end of ulna, right arm
 - S59.012 Salter-Harris Type I physeal fracture of lower end of ulna, left arm
- S59.02 Salter-Harris Type II physeal fracture of lower end of ulna
 - S59.021 Salter-Harris Type II physeal fracture of lower end of ulna, right arm
 - S59.022 Salter-Harris Type II physeal fracture of lower end of ulna, left arm
- S59.03 Salter-Harris Type III physeal fracture of lower end of ulna
 - S59.031 Salter-Harris Type III physeal fracture of lower end of ulna, right arm
 - S59.032 Salter-Harris Type III physeal fracture of lower end of ulna, left arm
- S59.04 Salter-Harris Type IV physeal fracture of lower end of ulna
 - S59.041 Salter-Harris Type IV physeal fracture of lower end of ulna, right arm
 - S59.042 Salter-Harris Type IV physeal fracture of lower end of ulna, left arm
- S59.09 Other physeal fracture of lower end of ulna
 - S59.091 Other physeal fracture of lower end of ulna, right arm
 - S59.092 Other physeal fracture of lower end of ulna, left arm

S59.1 Physeal fracture of upper end of radius

- S59.10 Unspecified physeal fracture of upper end of radius
 - S59.101 Unspecified physeal fracture of upper end of radius, right arm
 - S59.102 Unspecified physeal fracture of upper end of radius, left arm
- S59.11 Salter-Harris Type I physeal fracture of upper end of radius
 - S59.111 Salter-Harris Type I physeal fracture of upper end of radius, right arm
 - S59.112 Salter-Harris Type I physeal fracture of upper end of radius, left arm
- S59.12 Salter-Harris Type II physeal fracture of upper end of radius
 - S59.121 Salter-Harris Type II physeal fracture of upper end of radius, right arm
 - S59.122 Salter-Harris Type II physeal fracture of upper end of radius, left arm
- S59.13 Salter-Harris Type III physeal fracture of upper end of radius
 - S59.131 Salter-Harris Type III physeal fracture of upper end of radius, right arm
 - S59.132 Salter-Harris Type III physeal fracture of upper end of radius, left arm
- S59.14 Salter-Harris Type IV physeal fracture of upper end of radius
 - S59.141 Salter-Harris Type IV physeal fracture of upper end of radius, right arm
 - S59.142 Salter-Harris Type IV physeal fracture of upper end of radius, left arm
- S59.19 Other physeal fracture of upper end of radius
 - S59.191 Other physeal fracture of upper end of radius, right arm
 - S59.192 Other physeal fracture of upper end of radius, left arm

S59.2 Physeal fracture of lower end of radius

- S59.20 Unspecified physeal fracture of lower end of radius
 - S59.201 Unspecified physeal fracture of lower end of radius, right arm
 - S59.202 Unspecified physeal fracture of lower end of radius, left arm
- S59.21 Salter-Harris Type I physeal fracture of lower end of radius
 - S59.211 Salter-Harris Type I physeal fracture of lower end of radius, right arm
 - S59.212 Salter-Harris Type I physeal fracture of lower end of radius, left arm
- S59.22 Salter-Harris Type II physeal fracture of lower end of radius
 - S59.221 Salter-Harris Type II physeal fracture of lower end of radius, right arm
 - S59.222 Salter-Harris Type II physeal fracture of lower end of radius, left arm
- S59.23 Salter-Harris Type III physeal fracture of lower end of radius
 - S59.231 Salter-Harris Type III physeal fracture of lower end of radius, right arm
 - S59.232 Salter-Harris Type III physeal fracture of lower end of radius, left arm
- S59.24 Salter-Harris Type IV physeal fracture of lower end of radius
 - S59.241 Salter-Harris Type IV physeal fracture of lower end of radius, right arm
 - S59.242 Salter-Harris Type IV physeal fracture of lower end of radius, left arm
- S59.29 Other physeal fracture of lower end of radius
 - S59.291 Other physeal fracture of lower end of radius, right arm
 - S59.292 Other physeal fracture of lower end of radius, left arm

Genetic syndrome

Hemorrhagic Conditions

D66 Hereditary factor VIII deficiency

- Classical hemophilia
- Deficiency factor VIII (with functional defect)
- Hemophilia NOS
- Hemophilia A
- Excludes1: factor VIII deficiency with vascular defect (D68.0)

D67 Hereditary factor IX deficiency

- Christmas disease
- Factor IX deficiency (with functional defect)

Hemophilia B
Plasma thromboplastin component [PTC] deficiency

Q78.0 Osteogenesis imperfect

Fragilitas ossium
Osteopsathyrosis

Q87 Other specified congenital malformation syndromes affecting multiple systems

Use additional code(s) to identify all associated manifestations

Q87.0 Congenital malformation syndromes predominantly affecting facial appearance

Acrocephalopolysyndactyly
Acrocephalosyndactyly [Apert]
Cryptophthalmos syndrome
Cyclopia
Goldenhar syndrome
Moebius syndrome
Oro-facial-digital syndrome
Robin syndrome
Whistling face

Q87.1 Congenital malformation syndromes predominantly associated with short stature

Aarskog syndrome
Cockayne syndrome
De Lange syndrome
Dubowitz syndrome
Noonan syndrome
Prader-Willi syndrome
Robinow-Silverman-Smith syndrome
Russell-Silver syndrome
Seckel syndrome
Excludes1: Ellis-van Creveld syndrome (Q77.6)
Smith-Lemli-Opitz syndrome (E78.72)

Q87.2 Congenital malformation syndromes predominantly involving limbs

Holt-Oram syndrome
Klippel-Trenaunay-Weber syndrome
Nail patella syndrome
Rubinstein-Taybi syndrome
Sirenomelia syndrome
Thrombocytopenia with absent radius [TAR] syndrome
VATER syndrome

Q87.3 Congenital malformation syndromes involving early overgrowth

Beckwith-Wiedemann syndrome
Sotos syndrome
Weaver syndrome

Q87.4 Marfan's syndrome

Q87.40 Marfan's syndrome, unspecified
Q87.41 Marfan's syndrome with cardiovascular manifestations
 Q87.410 Marfan's syndrome with aortic dilation
 Q87.418 Marfan's syndrome with other cardiovascular manifestations
Q87.42 Marfan's syndrome with ocular manifestations
Q87.43 Marfan's syndrome with skeletal manifestation

Q87.5 Other congenital malformation syndromes with other skeletal changes

Q87.8 Other specified congenital malformation syndromes, not elsewhere classified

Excludes1: Zellweger syndrome (E71.510)

Q87.81 Alport syndrome

Use additional code to identify stage of chronic kidney disease (N18.1-N18.6)

Q87.89 Other specified congenital malformation syndromes, not elsewhere classified

Laurence-Moon (-Bardet)-Biedl syndrome

Q93 Monosomies and deletions from the autosomes, not elsewhere classified

Q93.3 Deletion of short arm of chromosome 4
Wolff-Hirschorn syndrome

Q93.4 Deletion of short arm of chromosome 5
Cri-du-chat syndrome

Q93.5 Other deletions of part of a chromosome
Angelman syndrome

Q91 Trisomy 18 and Trisomy 13

Q91.0 Trisomy 18, nonmosaicism (meiotic nondisjunction)

Q91.1 Trisomy 18, mosaicism (mitotic nondisjunction)

Q91.2 Trisomy 18, translocation

Q91.3 Trisomy 18, unspecified

Q91.4 Trisomy 13, nonmosaicism (meiotic nondisjunction)

Q91.5 Trisomy 13, mosaicism (mitotic nondisjunction)

Q91.6 Trisomy 13, translocation

Q91.7 Trisomy 13, unspecified

Q96 Turner's syndrome

Excludes1: Noonan syndrome (Q87.1)

Q96.0 Karyotype 45, X

Q96.1 Karyotype 46, X iso (Xq)

Karyotype 46, isochromosome Xq

Q96.2 Karyotype 46, X with abnormal sex chromosome, except iso (Xq)

Karyotype 46, X with abnormal sex chromosome, except isochromosome Xq

Q96.3 Mosaicism, 45, X/46, XX or XY

Q96.4 Mosaicism, 45, X/other cell line(s) with abnormal sex chromosome

Q96.8 Other variants of Turner's syndrome

Q96.9 Turner's syndrome, unspecified

High risk infant

P07.2 Extreme immaturity of newborn

Less than 28 completed weeks (less than 196 completed days) of gestation.

P07.20 Extreme immaturity of newborn, unspecified weeks of gestation

Gestational age less than 28 completed weeks NOS

P07.21 Extreme immaturity of newborn, gestational age less than 23 completed weeks

Extreme immaturity of newborn, gestational age less than 23 weeks, 0 days

P07.22 **Extreme immaturity of newborn, gestational age 23 completed weeks**
Extreme immaturity of newborn, gestational age 23 weeks, 0 days through 23 weeks, 6 days

P07.23 **Extreme immaturity of newborn, gestational age 24 completed weeks**
Extreme immaturity of newborn, gestational age 24 weeks, 0 days through 24 weeks, 6 days

P07.24 **Extreme immaturity of newborn, gestational age 25 completed weeks**
Extreme immaturity of newborn, gestational age 25 weeks, 0 days through 25 weeks, 6 days

P07.25 **Extreme immaturity of newborn, gestational age 26 completed weeks**
Extreme immaturity of newborn, gestational age 26 weeks, 0 days through 26 weeks, 6 days

P07.26 **Extreme immaturity of newborn, gestational age 27 completed weeks**
Extreme immaturity of newborn, gestational age 27 weeks, 0 days through 27 weeks, 6 days

P94 Disorders of muscle tone of newborn

P94.0 Transient neonatal myasthenia gravis
Excludes1: myasthenia gravis (G70.0)
Congenital hypertonia

P94.2 Congenital hypotonia
Floppy baby syndrome, unspecified

P94.8 Other disorders of muscle tone of newborn

P94.9 Disorder of muscle tone of newborn, unspecified

Malnutrition (E40-E46)

Excludes1: intestinal malabsorption (K90.-)
sequelae of protein-calorie malnutrition (E64.0)

Excludes2: nutritional anemias (D50-D53)
starvation (T73.0)

E40 Kwashiorkor

Severe malnutrition with nutritional edema with dyspigmentation of skin and hair
Excludes1: marasmic kwashiorkor (E42)

E41 Nutritional marasmus

Severe malnutrition with marasmus
Excludes1: marasmic kwashiorkor (E42)

E42 Marasmic kwashiorkor

Intermediate form severe protein-calorie malnutrition
Severe protein-calorie malnutrition with signs of both kwashiorkor and marasmus

E43 Unspecified severe protein-calorie malnutrition

Starvation edema

E44 Protein-calorie malnutrition of moderate and mild degree

E44.0 Moderate protein-calorie malnutrition

E44.1 Mild protein-calorie malnutrition

E45 Retarded development following protein-calorie malnutrition

Nutritional short stature

Nutritional stunting

Physical retardation due to malnutrition

E46 Unspecified protein-calorie malnutrition

Malnutrition NOS
Protein-calorie imbalance NOS
Excludes1: nutritional deficiency NOS (E63.9)

Hypotonia

P94.2 Congenital hypotonia

Floppy baby syndrome, unspecified

Juvenile apophysitis

M92.5 Juvenile osteochondrosis of tibia and fibula

Osteochondrosis (juvenile) of proximal tibia [Blount]
Osteochondrosis (juvenile) of tibial tubercle [Osgood-Schlatter]
Tibia vara
M92.50 Juvenile osteochondrosis of tibia and fibula, unspecified leg
M92.51 Juvenile osteochondrosis of tibia and fibula, right leg
M92.52 Juvenile osteochondrosis of tibia and fibula, left leg

M92.6 Juvenile osteochondrosis of tarsus

Osteochondrosis (juvenile) of calcaneum [Sever]
Osteochondrosis (juvenile) of os tibiale externum [Haglund]
Osteochondrosis (juvenile) of talus [Diaz]
Osteochondrosis (juvenile) of tarsal navicular [Köhler]
M92.60 Juvenile osteochondrosis of tarsus, unspecified ankle
M92.61 Juvenile osteochondrosis of tarsus, right ankle
M92.62 Juvenile osteochondrosis of tarsus, left ankle

Muscular dystrophy

Duchennes and Becker

G71.0 Muscular dystrophy
Autosomal recessive, childhood type, muscular dystrophy resembling Duchenne or Becker muscular dystrophy
Benign [Becker] muscular dystrophy
Benign scapuloperoneal muscular dystrophy with early contractures [Emery-Dreifuss]
Congenital muscular dystrophy NOS
Congenital muscular dystrophy with specific morphological abnormalities of the muscle fiber
Distal muscular dystrophy
Facioscapulohumeral muscular dystrophy
Limb-girdle muscular dystrophy
Ocular muscular dystrophy
Oculopharyngeal muscular dystrophy
Scapuloperoneal muscular dystrophy
Severe [Duchenne] muscular dystrophy

Spinal muscular atrophy

G12 Spinal muscular atrophy and related syndromes

- G12.0 Infantile spinal muscular atrophy, type I [Werdnig-Hoffman]
- G12.1 Other inherited spinal muscular atrophy
 - Adult form spinal muscular atrophy
 - Childhood form, type II spinal muscular atrophy
 - Distal spinal muscular atrophy
 - Juvenile form, type III spinal muscular atrophy [Kugelberg-Welander]
 - Progressive bulbar palsy of childhood [Fazio-Londe]
 - Scapulooperoneal form spinal muscular atrophy
- G12.2 Motor neuron disease
 - G12.20 Motor neuron disease, unspecified
 - G12.21 Amyotrophic lateral sclerosis
 - Progressive spinal muscle atrophy
 - G12.22 Progressive bulbar palsy
 - G12.29 Other motor neuron disease
 - Familial motor neuron disease
 - Primary lateral sclerosis
- G12.8 Other spinal muscular atrophies and related syndromes
- G12.9 Spinal muscular atrophy, unspecified

Myelodysplasia/Spina Bifida

Spina bifida

Q05 Spina bifida

Includes: hydromeningocele (spinal)
meningocele (spinal)
meningomyelocele
myelocele
myelomeningocele
rachischisis
spina bifida (aperta)(cystica)
syringomyelocele

Use additional code for any associated paraplegia (paraparesis) (G82.2-)

Excludes1: Arnold-Chiari syndrome, type II (Q07.0-)

spina bifida occulta (Q76.0)

- Q05.0 Cervical spina bifida with hydrocephalus
- Q05.1 Thoracic spina bifida with hydrocephalus
 - Dorsal spina bifida with hydrocephalus
 - Thoracolumbar spina bifida with hydrocephalus
- Q05.2 Lumbar spina bifida with hydrocephalus
 - Lumbosacral spina bifida with hydrocephalus
- Q05.3 Sacral spina bifida with hydrocephalus
- Q05.4 Unspecified spina bifida with hydrocephalus
- Q05.5 Cervical spina bifida without hydrocephalus
- Q05.6 Thoracic spina bifida without hydrocephalus
 - Dorsal spina bifida NOS
 - Thoracolumbar spina bifida NOS
- Q05.7 Lumbar spina bifida without hydrocephalus
 - Lumbosacral spina bifida NOS
- Q05.8 Sacral spina bifida without hydrocephalus
- Q05.9 Spina bifida, unspecified

Arnold-Chiari

Q07.0 Arnold-Chiari syndrome

Arnold-Chiari syndrome, type II

Excludes1: Arnold-Chiari syndrome, type III (Q01.-)

Arnold-Chiari syndrome, type IV (Q04.8)

Q07.00 Arnold-Chiari syndrome without spina bifida or hydrocephalus

Q07.01 Arnold-Chiari syndrome with spina bifida

Q07.02 Arnold-Chiari syndrome with hydrocephalus

Q07.03 Arnold-Chiari syndrome with spina bifida and hydrocephalus

Hydrocephalus

G91 Hydrocephalus

Includes: acquired hydrocephalus

Excludes1: Arnold-Chiari syndrome with hydrocephalus (Q07.-)

congenital hydrocephalus (Q03.-)

spina bifida with hydrocephalus (Q05.-)

G91.0 Communicating hydrocephalus

Secondary normal pressure hydrocephalus

G91.1 Obstructive hydrocephalus

G91.2 (Idiopathic) normal pressure hydrocephalus

Normal pressure hydrocephalus NOS

G91.3 Post-traumatic hydrocephalus, unspecified

G91.4 Hydrocephalus in diseases classified elsewhere

Code first underlying condition, such as:

congenital syphilis (A50.4-)

neoplasm (C00-D49)

Excludes1: hydrocephalus due to congenital toxoplasmosis (P37.1)

G91.8 Other hydrocephalus

G91.9 Hydrocephalus, unspecified

Q03 Congenital hydrocephalus

Includes: hydrocephalus in newborn

Excludes1: Arnold-Chiari syndrome, type II (Q07.0-)

acquired hydrocephalus (G91.-)

hydrocephalus due to congenital toxoplasmosis (P37.1)

hydrocephalus with spina bifida (Q05.0-Q05.4)

Q03.0 Malformations of aqueduct of Sylvius

Anomaly of aqueduct of Sylvius

Obstruction of aqueduct of Sylvius, congenital

Stenosis of aqueduct of Sylvius

Q03.1 Atresia of foramina of Magendie and Luschka

Dandy-Walker syndrome

Q03.8 Other congenital hydrocephalus

Q03.9 Congenital hydrocephalus, unspecified

Obesity

E66 Overweight and obesity

Code first obesity complicating pregnancy, childbirth and the puerperium, if applicable (O99.21-)

Use additional code to identify body mass index (BMI), if known (Z68.-)

- Excludes1: adiposogenital dystrophy (E23.6)
- lipomatosis NOS (E88.2)
- lipomatosis dolorosa [Dercum] (E88.2)
- Prader-Willi syndrome (Q87.1)
- E66.0 Obesity due to excess calories
 - E66.01 Morbid (severe) obesity due to excess calories
 - Excludes1: morbid (severe) obesity with alveolar hypoventilation (E66.2)
 - E66.09 Other obesity due to excess calories
- E66.1 Drug-induced obesity
 - Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)
- E66.2 Morbid (severe) obesity with alveolar hypoventilation
 - Pickwickian syndrome
- E66.3 Overweight
- E66.8 Other obesity
- E66.9 Obesity, unspecified
 - Obesity NOS

Rett's Disorder

F84.2 Rett's syndrome

- Excludes1:
 - Asperger's syndrome (F84.5)
 - Autistic disorder (F84.0)
 - Other childhood disintegrative disorder (F84.3)

Scoliosis

M41 Scoliosis

- Includes: kyphoscoliosis
- Excludes1: congenital scoliosis NOS (Q67.5)
 - congenital scoliosis due to bony malformation (Q76.3)
 - postural congenital scoliosis (Q67.5)
 - kyphoscoliotic heart disease (I27.1)
- Excludes 2: postprocedural scoliosis (M96.-)

M41.0 Infantile idiopathic scoliosis

- M41.00 Infantile idiopathic scoliosis, site unspecified
- M41.02 Infantile idiopathic scoliosis, cervical region
- M41.03 Infantile idiopathic scoliosis, cervicothoracic region
- M41.04 Infantile idiopathic scoliosis, thoracic region
- M41.05 Infantile idiopathic scoliosis, thoracolumbar region
- M41.06 Infantile idiopathic scoliosis, lumbar region
- M41.07 Infantile idiopathic scoliosis, lumbosacral region
- M41.08 Infantile idiopathic scoliosis, sacral and sacrococcygeal region

M41.1 Juvenile and adolescent idiopathic scoliosis

- M41.11 Juvenile idiopathic scoliosis
 - M41.112 Juvenile idiopathic scoliosis, cervical region
 - M41.113 Juvenile idiopathic scoliosis, cervicothoracic region
 - M41.114 Juvenile idiopathic scoliosis, thoracic region
 - M41.115 Juvenile idiopathic scoliosis, thoracolumbar region

M41.116 Juvenile idiopathic scoliosis, lumbar region
M41.117 Juvenile idiopathic scoliosis, lumbosacral region
M41.119 Juvenile idiopathic scoliosis, site unspecified

M41.12 Adolescent scoliosis

M41.122 Adolescent idiopathic scoliosis, cervical region
M41.123 Adolescent idiopathic scoliosis, cervicothoracic region
M41.124 Adolescent idiopathic scoliosis, thoracic region
M41.125 Adolescent idiopathic scoliosis, thoracolumbar region
M41.126 Adolescent idiopathic scoliosis, lumbar region
M41.127 Adolescent idiopathic scoliosis, lumbosacral region
M41.129 Adolescent idiopathic scoliosis, site unspecified

M41.2 Other idiopathic scoliosis

M41.20 Other idiopathic scoliosis, site unspecified
M41.22 Other idiopathic scoliosis, cervical region
M41.23 Other idiopathic scoliosis, cervicothoracic region
M41.24 Other idiopathic scoliosis, thoracic region
M41.25 Other idiopathic scoliosis, thoracolumbar region
M41.26 Other idiopathic scoliosis, lumbar region
M41.27 Other idiopathic scoliosis, lumbosacral region

M41.3 Thoracogenic scoliosis

M41.30 Thoracogenic scoliosis, site unspecified
M41.34 Thoracogenic scoliosis, thoracic region
M41.35 Thoracogenic scoliosis, thoracolumbar region

M41.4 Neuromuscular scoliosis

Scoliosis secondary to cerebral palsy, Friedreich's ataxia, poliomyelitis and other neuromuscular disorders

Code also underlying condition

M41.40 Neuromuscular scoliosis, site unspecified
M41.41 Neuromuscular scoliosis, occipito-atlanto-axial region
M41.42 Neuromuscular scoliosis, cervical region
M41.43 Neuromuscular scoliosis, cervicothoracic region
M41.44 Neuromuscular scoliosis, thoracic region
M41.45 Neuromuscular scoliosis, thoracolumbar region
M41.46 Neuromuscular scoliosis, lumbar region
M41.47 Neuromuscular scoliosis, lumbosacral region

M41.5 Other secondary scoliosis

Code first underlying disease

Spinal cord injury

S14 Injury of nerves and spinal cord at neck level

Note: Code to highest level of cervical cord injury

Code also any associated:

fracture of cervical vertebra (S12.0--S12.6.-)
open wound of neck (S11.-)
transient paralysis (R29.5)

The appropriate 7th character is to be added to each code from category S14

A — initial encounter
D — subsequent encounter
S — sequela

S14.0 Concussion and edema of cervical spinal cord

S14.1 Other and unspecified injuries of cervical spinal cord

S14.10 Unspecified injury of cervical spinal cord

- S14.101 Unspecified injury at C1 level of cervical spinal cord
- S14.102 Unspecified injury at C2 level of cervical spinal cord
- S14.103 Unspecified injury at C3 level of cervical spinal cord
- S14.104 Unspecified injury at C4 level of cervical spinal cord
- S14.105 Unspecified injury at C5 level of cervical spinal cord
- S14.106 Unspecified injury at C6 level of cervical spinal cord
- S14.107 Unspecified injury at C7 level of cervical spinal cord
- S14.108 Unspecified injury at C8 level of cervical spinal cord
- S14.109 Unspecified injury at unspecified level of cervical spinal cord
- Injury of cervical spinal cord NOS

S14.11 Complete lesion of cervical spinal cord

- S14.111 Complete lesion at C1 level of cervical spinal cord
- S14.112 Complete lesion at C2 level of cervical spinal cord
- S14.113 Complete lesion at C3 level of cervical spinal cord
- S14.114 Complete lesion at C4 level of cervical spinal cord
- S14.115 Complete lesion at C5 level of cervical spinal cord
- S14.116 Complete lesion at C6 level of cervical spinal cord
- S14.117 Complete lesion at C7 level of cervical spinal cord
- S14.118 Complete lesion at C8 level of cervical spinal cord
- S14.119 Complete lesion at unspecified level of cervical spinal cord

S14.12 Central cord syndrome of cervical spinal cord

- S14.121 Central cord syndrome at C1 level of cervical spinal cord
- S14.122 Central cord syndrome at C2 level of cervical spinal cord
- S14.123 Central cord syndrome at C3 level of cervical spinal cord
- S14.124 Central cord syndrome at C4 level of cervical spinal cord
- S14.125 Central cord syndrome at C5 level of cervical spinal cord
- S14.126 Central cord syndrome at C6 level of cervical spinal cord
- S14.127 Central cord syndrome at C7 level of cervical spinal cord
- S14.128 Central cord syndrome at C8 level of cervical spinal cord
- S14.129 Central cord syndrome at unspecified level of cervical spinal cord

S14.13 Anterior cord syndrome of cervical spinal cord

- S14.131 Anterior cord syndrome at C1 level of cervical spinal cord
- S14.132 Anterior cord syndrome at C2 level of cervical spinal cord
- S14.133 Anterior cord syndrome at C3 level of cervical spinal cord
- S14.134 Anterior cord syndrome at C4 level of cervical spinal cord
- S14.135 Anterior cord syndrome at C5 level of cervical spinal cord
- S14.136 Anterior cord syndrome at C6 level of cervical spinal cord
- S14.137 Anterior cord syndrome at C7 level of cervical spinal cord
- S14.138 Anterior cord syndrome at C8 level of cervical spinal cord
- S14.139 Anterior cord syndrome at unspecified level of cervical spinal cord

S14.14 Brown-Séquard syndrome of cervical spinal cord

- S14.141 Brown-Séquard syndrome at C1 level of cervical spinal cord
- S14.142 Brown-Séquard syndrome at C2 level of cervical spinal cord

- S14.143 Brown-Séquard syndrome at C3 level of cervical spinal cord
- S14.144 Brown-Séquard syndrome at C4 level of cervical spinal cord
- S14.145 Brown-Séquard syndrome at C5 level of cervical spinal cord
- S14.146 Brown-Séquard syndrome at C6 level of cervical spinal cord
- S14.147 Brown-Séquard syndrome at C7 level of cervical spinal cord
- S14.148 Brown-Séquard syndrome at C8 level of cervical spinal cord
- S14.149 Brown-Séquard syndrome at unspecified level of cervical spinal cord
- S14.15 Other incomplete lesions of cervical spinal cord
 - Incomplete lesion of cervical spinal cord NOS
 - Posterior cord syndrome of cervical spinal cord
 - S14.151 Other incomplete lesion at C1 level of cervical spinal cord
 - S14.152 Other incomplete lesion at C2 level of cervical spinal cord
 - S14.153 Other incomplete lesion at C3 level of cervical spinal cord
 - S14.154 Other incomplete lesion at C4 level of cervical spinal cord
 - S14.155 Other incomplete lesion at C5 level of cervical spinal cord
 - S14.156 Other incomplete lesion at C6 level of cervical spinal cord
 - S14.157 Other incomplete lesion at C7 level of cervical spinal cord
 - S14.158 Other incomplete lesion at C8 level of cervical spinal cord
 - S14.159 Other incomplete lesion at unspecified level of cervical spinal cord

S24 Injury of nerves and spinal cord at thorax level

Note: Code to highest level of thoracic spinal cord injury

Injuries to the spinal cord (S24.0 and S24.1) refer to the cord level and not bone level injury, and can affect nerve roots at and below the level given.

Code also any associated:

- fracture of thoracic vertebra (S22.0-)
- open wound of thorax (S21.-)
- transient paralysis (R29.5)

Excludes2: injury of brachial plexus (S14.3)

The appropriate 7th character is to be added to each code from category S24

- A — initial encounter
- D — subsequent encounter
- S — sequela

S24.0 Concussion and edema of thoracic spinal cord

S24.1 Other and unspecified injuries of thoracic spinal cord

- S24.10 Unspecified injury of thoracic spinal cord
 - S24.101 Unspecified injury at T1 level of thoracic spinal cord
 - S24.102 Unspecified injury at T2-T6 level of thoracic spinal cord
 - S24.103 Unspecified injury at T7-T10 level of thoracic spinal cord
 - S24.104 Unspecified injury at T11-T12 level of thoracic spinal cord
 - S24.109 Unspecified injury at unspecified level of thoracic spinal cord
 - Injury of thoracic spinal cord NOS
- S24.11 Complete lesion of thoracic spinal cord
 - S24.111 Complete lesion at T1 level of thoracic spinal cord
 - S24.112 Complete lesion at T2-T6 level of thoracic spinal cord
 - S24.113 Complete lesion at T7-T10 level of thoracic spinal cord
 - S24.114 Complete lesion at T11-T12 level of thoracic spinal cord
 - S24.119 Complete lesion at unspecified level of thoracic spinal cord

- S24.13 Anterior cord syndrome of thoracic spinal cord
 - S24.131 Anterior cord syndrome at T1 level of thoracic spinal cord
 - S24.132 Anterior cord syndrome at T2-T6 level of thoracic spinal cord
 - S24.133 Anterior cord syndrome at T7-T10 level of thoracic spinal cord
 - S24.134 Anterior cord syndrome at T11-T12 level of thoracic spinal cord
 - S24.139 Anterior cord syndrome at unspecified level of thoracic spinal cord
- S24.14 Brown-Séquard syndrome of thoracic spinal cord
 - S24.141 Brown-Séquard syndrome at T1 level of thoracic spinal cord
 - S24.142 Brown-Séquard syndrome at T2-T6 level of thoracic spinal cord
 - S24.143 Brown-Séquard syndrome at T7-T10 level of thoracic spinal cord
 - S24.144 Brown-Séquard syndrome at T11-T12 level of thoracic spinal cord
 - S24.149 Brown-Séquard syndrome at unspecified level of thoracic spinal cord
- S24.15 Other incomplete lesions of thoracic spinal cord
 - Incomplete lesion of thoracic spinal cord NOS
 - Posterior cord syndrome of thoracic spinal cord
 - S24.151 Other incomplete lesion at T1 level of thoracic spinal cord
 - S24.152 Other incomplete lesion at T2-T6 level of thoracic spinal cord
 - S24.153 Other incomplete lesion at T7-T10 level of thoracic spinal cord
 - S24.154 Other incomplete lesion at T11-T12 level of thoracic spinal cord
 - S24.159 Other incomplete lesion at unspecified level of thoracic spinal cord

S34 Injury of lumbar and sacral spinal cord and nerves at abdomen, lower back and pelvis level

Note: Code to highest level of lumbar cord injury

Injuries to the spinal cord (S34.0 and S34.1) refer to the cord level and not bone level injury, and can affect nerve roots at and below the level given.

Code also any associated:

- fracture of vertebra (S22.0-, S32.0-)
- open wound of abdomen, lower back and pelvis (S31.-)
- transient paralysis (R29.5)

The appropriate 7th character is to be added to each code from category S34

A — initial encounter

D — subsequent encounter

S — sequela

S34.0 Concussion and edema of lumbar and sacral spinal cord

- S34.01 Concussion and edema of lumbar spinal cord
- S34.02 Concussion and edema of sacral spinal cord
 - Concussion and edema of conus medullaris

S34.1 Other and unspecified injury of lumbar and sacral spinal cord

- S34.10 Unspecified injury to lumbar spinal cord
 - S34.101 Unspecified injury to L1 level of lumbar spinal cord
 - S34.102 Unspecified injury to L2 level of lumbar spinal cord
 - S34.103 Unspecified injury to L3 level of lumbar spinal cord
 - S34.104 Unspecified injury to L4 level of lumbar spinal cord
 - S34.105 Unspecified injury to L5 level of lumbar spinal cord
 - S34.109 Unspecified injury to unspecified level of lumbar spinal cord
- S34.11 Complete lesion of lumbar spinal cord
 - S34.111 Complete lesion of L1 level of lumbar spinal cord

- S34.112 Complete lesion of L2 level of lumbar spinal cord
- S34.113 Complete lesion of L3 level of lumbar spinal cord
- S34.114 Complete lesion of L4 level of lumbar spinal cord
- S34.115 Complete lesion of L5 level of lumbar spinal cord
- S34.119 Complete lesion of unspecified level of lumbar spinal cord
- S34.12 Incomplete lesion of lumbar spinal cord
 - S34.121 Incomplete lesion of L1 level of lumbar spinal cord
 - S34.122 Incomplete lesion of L2 level of lumbar spinal cord
 - S34.123 Incomplete lesion of L3 level of lumbar spinal cord
 - S34.124 Incomplete lesion of L4 level of lumbar spinal cord
 - S34.125 Incomplete lesion of L5 level of lumbar spinal cord
 - S34.129 Incomplete lesion of unspecified level of lumbar spinal cord
- S34.13 Other and unspecified injury to sacral spinal cord
 - Other injury to conus medullaris
 - S34.131 Complete lesion of sacral spinal cord
 - Complete lesion of conus medullaris
 - S34.132 Incomplete lesion of sacral spinal cord
 - Incomplete lesion of conus medullaris
 - S34.139 Unspecified injury to sacral spinal cord
 - Unspecified injury of conus medullaris

Torticollis

M43.6 Torticollis

Excludes1: congenital (sternomastoid) torticollis (Q68.0)
current injury - see Injury, of spine, by body region
ocular torticollis (R29.891)
psychogenic torticollis (F45.8)
spasmodic torticollis (G24.3)
torticollis due to birth injury (P15.2)

Q68.0 Congenital deformity of sternocleidomastoid muscle

Congenital contracture of sternocleidomastoid (muscle)
Congenital (sternomastoid) torticollis
Sternomastoid tumor (congenital)

Plagiocephaly

Q67.3 Plagiocephaly

Signs and symptoms commonly seen in health condition related to pediatrics

G89 Pain, not elsewhere classified

Code also related psychological factors associated with pain (F45.42)
Excludes1: generalized pain NOS (R52)
pain disorders exclusively related to psychological factors (F45.41)
pain NOS (R52)

Excludes2: atypical face pain (G50.1)

headache syndromes (G44.-)
 localized pain, unspecified type - code to pain by site, such as:
 abdomen pain (R10.-)
 back pain (M54.9)
 breast pain (N64.4)
 chest pain (R07.1-R07.9)
 ear pain (H92.0-)
 eye pain (H57.1)
 headache (R51)
 joint pain (M25.5-)
 limb pain (M79.6-)
 lumbar region pain (M54.5-)
 painful urination (R30.9)
 pelvic and perineal pain (R10.2)
 shoulder pain (M25.51-)
 spine pain (M54.-)
 throat pain (R07.0)
 tongue pain (K14.6)
 tooth pain (K08.8)
 renal colic (N23)
 migraines (G43.-)
 myalgia (M79.1)
 pain from prosthetic devices, implants, and grafts (T82.84, T83.84, T84.84, T85.84)
 phantom limb syndrome with pain (G54.6)
 vulvar vestibulitis (N94.810)
 vulvodynia (N94.81-)

G89.1 Acute pain, not elsewhere classified

G89.11 Acute pain due to trauma
 G89.12 Acute post-thoracotomy pain
 Post-thoracotomy pain NOS
 G89.18 Other acute postprocedural pain
 Postoperative pain NOS
 Postprocedural pain NOS

G89.2 Chronic pain, not elsewhere classified

Excludes1: causalgia, lower limb (G57.7-)
 causalgia, upper limb (G56.4-)
 central pain syndrome (G89.0)
 chronic pain syndrome (G89.4)
 complex regional pain syndrome II, lower limb (G57.7-)
 complex regional pain syndrome II, upper limb (G56.4-)
 neoplasm related chronic pain (G89.3)
 reflex sympathetic dystrophy (G90.5-)

G89.21 Chronic pain due to trauma
 G89.22 Chronic post-thoracotomy pain
 G89.28 Other chronic postprocedural pain
 Other chronic postoperative pain
 G89.29 Other chronic pain

G89.3 Neoplasm related pain (acute) (chronic)

Cancer associated pain
 Pain due to malignancy (primary) (secondary)

Tumor associated pain

G89.4 Chronic pain syndrome

Chronic pain associated with significant psychosocial dysfunction

M62.4 Contracture of muscle

Contracture of tendon (sheath)

Excludes1: contracture of joint (M24.5-)

M62.40 Contracture of muscle, unspecified site

M62.41 Contracture of muscle, shoulder

M62.411 Contracture of muscle, right shoulder

M62.412 Contracture of muscle, left shoulder

M62.42 Contracture of muscle, upper arm

M62.421 Contracture of muscle, right upper arm

M62.422 Contracture of muscle, left upper arm

M62.43 Contracture of muscle, forearm

M62.431 Contracture of muscle, right forearm

M62.432 Contracture of muscle, left forearm

M62.44 Contracture of muscle, hand

M62.441 Contracture of muscle, right hand

M62.442 Contracture of muscle, left hand

M62.45 Contracture of muscle, thigh

M62.451 Contracture of muscle, right thigh

M62.452 Contracture of muscle, left thigh

M62.46 Contracture of muscle, lower leg

M62.461 Contracture of muscle, right lower leg

M62.462 Contracture of muscle, left lower leg

M62.47 Contracture of muscle, ankle and foot

M62.471 Contracture of muscle, right ankle and foot

M62.472 Contracture of muscle, left ankle and foot

M62.48 Contracture of muscle, other site

M62.49 Contracture of muscle, multiple sites

M79.6 Pain in limb, hand, foot, fingers and toes

Excludes2: pain in joint (M25.5-)

M79.60 Pain in limb, unspecified

M79.601 Pain in right arm

Pain in right upper limb NOS

M79.602 Pain in left arm

Pain in left upper limb NOS

M79.603 Pain in arm, unspecified

Pain in upper limb NOS

M79.604 Pain in right leg

Pain in right lower limb NOS

M79.605 Pain in left leg
Pain in left lower limb NOS
M79.606 Pain in leg, unspecified
Pain in lower limb NOS
M79.609 Pain in unspecified limb
Pain in limb NOS

M79.62 Pain in upper arm

Pain in axillary region
M79.621 Pain in right upper arm
M79.622 Pain in left upper arm
M79.629 Pain in unspecified upper arm

M79.63 Pain in forearm

M79.631 Pain in right forearm
M79.632 Pain in left forearm

M79.64 Pain in hand and fingers

M79.641 Pain in right hand
M79.642 Pain in left hand
M79.644 Pain in right finger(s)
M79.645 Pain in left finger(s)

M79.65 Pain in thigh

M79.651 Pain in right thigh
M79.652 Pain in left thigh

M79.66 Pain in lower leg

M79.661 Pain in right lower leg
M79.662 Pain in left lower leg

M79.67 Pain in foot and toes

M79.671 Pain in right foot
M79.672 Pain in left foot
M79.674 Pain in right toe(s)
M79.675 Pain in left toe(s)

R20 Disturbances of skin sensation

Excludes1: dissociative anesthesia and sensory loss (F44.6)
psychogenic disturbances (F45.8)

R20.0 Anesthesia of skin

R20.1 Hypoesthesia of skin

R20.2 Paresthesia of skin

Formication

Pins and needles

Tingling skin

Excludes1: acroparesthesia (I73.8)

R20.3 Hyperesthesia

R20.8 Other disturbances of skin sensation

R20.9 Unspecified disturbances of skin sensation

R26 Abnormalities of gait and mobility

Excludes1: ataxia NOS (R27.0)

- hereditary ataxia (G11.-)
- locomotor (syphilitic) ataxia (A52.11)
- immobility syndrome (paraplegic) (M62.3)
- R26.0 Ataxic gait
 - Staggering gait
- R26.1 Paralytic gait
 - Spastic gait
- R26.2 Difficulty in walking, not elsewhere classified
 - Excludes: falling R29.6
 - unsteadiness on feet (R26.81)
- R26.8 Other abnormalities of gait and mobility
 - R26.81 Unsteadiness on feet
 - R26.89 Other abnormalities of gait and mobility
- R26.9 Unspecified abnormalities of gait and mobility

R27 Other lack of coordination

- Excludes1: ataxic gait (R26.0)
 - hereditary ataxia (G11.-)
 - vertigo NOS (R42)
- R27.0 Ataxia, unspecified
 - Excludes1: ataxia following cerebrovascular disease (I69. with final characters -93)
- R27.8 Other lack of coordination
- R27.9 Unspecified lack of coordination

R29.3 Abnormal posture

R53 Malaise and fatigue

- R53.0 Neoplastic (malignant) related fatigue
 - Code first associated neoplasm
- R53.1 Weakness
 - Asthenia NOS
 - Excludes1: age-related weakness (R54)
 - muscle weakness (M62.8-)
 - senile asthenia (R54)
- R53.2 Functional quadriplegia
 - Complete immobility due to severe physical disability or frailty
 - Excludes1: frailty NOS (R54)
 - hysterical paralysis (F44.4)
 - immobility syndrome (M62.3)
 - neurologic quadriplegia (G82.5-)
 - quadriplegia (G82.50)
- R53.8 Other malaise and fatigue
 - Excludes1: combat exhaustion and fatigue (F43.0)
 - congenital debility (P96.9)
 - exhaustion and fatigue due to depressive episode (F32.-)
 - exhaustion and fatigue due to excessive exertion (T73.3)
 - exhaustion and fatigue due to exposure (T73.2)
 - exhaustion and fatigue due to heat (T67.-)
 - exhaustion and fatigue due to pregnancy (O26.8-)

- exhaustion and fatigue due to recurrent depressive episode (F33)
- exhaustion and fatigue due to senile debility (R54)
- R53.81 Other malaise
 - Chronic debility
 - Debility NOS
 - General physical deterioration
 - Malaise NOS
 - Nervous debility
 - Excludes1: age-related physical debility (R54)
- R53.82 Chronic fatigue, unspecified
 - Chronic fatigue syndrome NOS
 - Excludes1: postviral fatigue syndrome (G93.3)
- R53.83 Other fatigue
 - Fatigue NOS
 - Lack of energy
 - Lethargy
 - Tiredness

COVID

Z86 Personal history of certain other diseases

Z86.1 Personal history of infectious and parasitic diseases

Z86.16 Personal history of COVID-19

Excludes1: post COVID-19 condition (U09.9)

Last Updated: 08/23/2021

Contact: practice@apta.org