


Instructions:

To best navigate the list, first download this PDF file to your computer. Then navigate the document using the bookmarks feature in the left column. The bookmarks expand and collapse. Finally, ensure that you look at the top of each category and work down to review notes or specific instructions.

Bookmarks: with expandable and collapsible topics



As you start using the codes, it is recommended that you also check in Index and Tabular lists to ensure there is not a code with more specificity or a different code that may be more appropriate for your patient.

Last Updated: 09/29/16

Contact: practice-dept@apta.org



Acquired Brain injury

Code also any associated:

open wound of head (S01.-)

skull fracture (S02.-)

Excludes1: head injury NOS (S09.90)

The appropriate 7th character is to be added to each code from category S06

- A initial encounter
- D subsequent encounter
- S sequela

S06.2X Diffuse traumatic brain injury

- S06.2X0 Diffuse traumatic brain injury without loss of consciousness
- S06.2X1 Diffuse traumatic brain injury with loss of consciousness of 30 minutes or less
- S06.2X2 Diffuse traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes
- S06.2X3 Diffuse traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59minutes
- S06.2X4 Diffuse traumatic brain injury with loss of consciousness of 6 hours to 24 hours
- S06.2X5 Diffuse traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious levels
- S06.2X6 Diffuse traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving
- S06.2X9 Diffuse traumatic brain injury with loss of consciousness of unspecified duration

S06.30 Unspecified focal traumatic brain injury

- S06.300 Unspecified focal traumatic brain injury without loss of consciousness
- S06.301 Unspecified focal traumatic brain injury with loss of consciousness of 30 minutes or less
- S06.302 Unspecified focal traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes
- S06.303 Unspecified focal traumatic brain injury with loss of consciousness of 1 hour to 5hours 59 minutes
- S06.304 Unspecified focal traumatic brain injury with loss of consciousness of 6 hours to 24 hours
- S06.305 Unspecified focal traumatic brain injury with loss of consciousness greater than 24hours with return to pre-existing conscious level
- S06.306 Unspecified focal traumatic brain injury with loss of consciousness greater than 24hours without return to pre-existing conscious level with patient surviving
- S06.307 Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness
- S06.308 Unspecified focal traumatic brain injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness
- S06.309 Unspecified focal traumatic brain injury with loss of consciousness of unspecified duration



S06.31 Contusion and laceration of right cerebrum

- S06.310 Contusion and laceration of right cerebrum without loss of consciousness
- S06.311 Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less
- S06.312 Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes
- S06.313 Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes
- S06.314 Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours
- S06.315 Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level
- S06.316 Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving
- S06.317 Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness
- S06.318 Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness
- S06.319 Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration

S06.32 Contusion and laceration of left cerebrum

- S06.320 Contusion and laceration of left cerebrum without loss of consciousness
- S06.321 Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less
- S06.322 Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes
- S06.323 Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5hours 59 minutes
- S06.324 Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours
- S06.325 Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level
- S06.326 Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving
- S06.327 Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness
- S06.328 Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness
- S06.329 Contusion and laceration of left cerebrum with loss of consciousness of unspecified duration

S06.34 Traumatic hemorrhage of right cerebrum

S06.340 Traumatic hemorrhage of right cerebrum without loss of consciousness

©Copyright APTA 2016, ALL RIGHTS RESERVED.



- S06.341 Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less
- S06.342 Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes
- S06.343 Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to5 hours 59 minutes
- S06.344 Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours
- S06.345 Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level
- S06.346 Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving
- S06.349 Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration

S06.35 Traumatic hemorrhage of left cerebrum

- S06.350 Traumatic hemorrhage of left cerebrum without loss of consciousness
- S06.351 Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less
- S06.352 Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes
- S06.353 Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes
- S06.354 Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to
- S06.355 Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level
- S06.356 Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving
- S06.359 Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration

S06.5X Traumatic subdural hemorrhage

- S06.5X0 Traumatic subdural hemorrhage without loss of consciousness
- S06.5X1 Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less
- S06.5X2 Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes
- S06.5X3 Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes
- S06.5X4 Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours
- S06.5X5 Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level
- S06.5X6 Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving



S06.5X9 Traumatic subdural hemorrhage with loss of consciousness of unspecified duration

S06.9X Unspecified intracranial injury

S06.9X0 Unspecified intracranial injury without loss of consciousness

S06.9X1 Unspecified intracranial injury with loss of consciousness of 30 minutes or less

S06.9X2 Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes

S06.9X3 Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59minutes

S06.9X4 Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours

S06.9X5 Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level

S06.9X6 Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving

S06.9X9 Unspecified intracranial injury with loss of consciousness of unspecified duration

Alzheimer's disease

G30 Alzheimer's disease

Includes: Alzheimer's dementia senile and presenile forms

Use additional code to identify:

delirium, if applicable (F05)

dementia with behavioral disturbance (F02.81)

dementia without behavioral disturbance (F02.80)

Excludes1: senile degeneration of brain NEC (G31.1)

senile dementia NOS (F03)

senility NOS (R41.81)

G30.0 Alzheimer's disease with early onset

G30.1 Alzheimer's disease with late onset

G30.8 Other Alzheimer's disease

G30.9 Alzheimer's disease, unspecified

Anoxia

G93.1 Anoxic brain damage, not elsewhere classified

074.3 Central nervous system complications of anesthesia during labor and delivery

Central nervous system infections (Viral infections of the central nervous system)

Viral and prion infections of the central nervous system (A80-A89)

A83 Mosquito-borne viral encephalitis

A83.1 Western equine encephalitis

A83.2 Eastern equine encephalitis

A83.3 St Louis encephalitis

A83.4 Australian encephalitis Kunjin virus disease

A83.5 California encephalitis (California meningoencephalitis La Crosse encephalitis)

©Copyright APTA 2016, ALL RIGHTS RESERVED.



A83.6 Rocio virus disease

A83.8 Other mosquito-borne viral encephalitis

A83.9 Mosquito-borne viral encephalitis, unspecified

A84 Tick-borne viral encephalitis

A84.0 Far Eastern tick-borne encephalitis [Russian spring-summer encephalitis]

A84.1 Central European tick-borne encephalitis

A84.8 Other tick-borne viral encephalitis (Louping ill Powassan virus disease)

A84.9 Tick-borne viral encephalitis, unspecified

Arthropod-borne viral fevers and viral hemorrhagic fevers (A90-A99)

A92 Other mosquito-borne viral fevers

A92.31 West Nile virus infection with encephalitis (West Nile encephalitis West Nile encephalomyelitis)

A92.32 West Nile virus infection with other neurologic manifestation (Use additional code to specify the neurologic manifestation)

Central nervous system neoplasms (Neoplasm of central nervous system)

Malignant Primary

C71 Malignant neoplasm of brain (Code to the greatest level of detail known)

C72 Malignant neoplasm of spinal cord, cranial nerves and other parts of central nervous system (Code to the greatest level of detail known)

Malignant Secondary

C79.3 Secondary malignant neoplasm of brain and cerebral meninges

C79.4 Secondary malignant neoplasm of other and unspecified parts of nervous system

Benign

D33 Benign neoplasm of brain and other parts of central nervous system (Code to the greatest level of detail known)

D33.0 Benign neoplasm of brain, supratentorial

D33.4 Benign neoplasm of spinal cord

Cerebellar disorder

Excludes2:

cerebral palsy (G80.-)

hereditary and idiopathic neuropathy (G60.-)

metabolic disorders (E70-E88)

G11.0 Congenital nonprogressive ataxia (no further details)

G11.1 Early-onset cerebellar ataxia

Early-onset cerebellar ataxia with essential tremor

Early-onset cerebellar ataxia with myoclonus [Hunt's ataxia]

Early-onset cerebellar ataxia with retained tendon reflexes

Friedreich's ataxia (autosomal recessive)

X-linked recessive spinocerebellar ataxia



G11.2 Late-onset cerebellar ataxia (no further details)

G11.3 Cerebellar ataxia with defective DNA repair

Ataxia telangiectasia [Louis-Bar]

Excludes2: Cockayne's syndrome (Q87.1)

other disorders of purine and pyrimidine metabolism (E79.-)

xeroderma pigmentosum (Q82.1)

Cerebral palsy

Excludes1: hereditary spastic paraplegia (G11.4)

G80.0 Spastic quadriplegic cerebral palsy

Congenital spastic paralysis (cerebral)

G80.1 Spastic diplegic cerebral palsy

Spastic cerebral palsy NOS

G80.2 Spastic hemiplegic cerebral palsy

G80.3 Athetoid cerebral palsy

Double athetosis (syndrome)

Dyskinetic cerebral palsy

Dystonic cerebral palsy

Vogt disease

G80.4 Ataxic cerebral palsy

G80.8 Other cerebral palsy

Mixed cerebral palsy syndromes

G80.9 Cerebral palsy, unspecified

Cerebral palsy NOS

Cerebrovascular accident

169 Seguelae of cerebrovascular disease

Note: Category I69 is to be used to indicate conditions in I60-I67 as the cause of sequelae. The 'sequelae' include conditions specified as such or as residuals which may occur at any time after the onset of the causal condition

Excludes1: personal history of cerebral infarction without residual deficit (Z86.73)

personal history of prolonged reversible ischemic neurologic deficit (PRIND) (Z86.73)

personal history of reversible ischemic neurological deficit (RIND) (Z86.73)

sequelae of traumatic intracranial injury (S06.-)

transient ischemic attack (TIA) (G45.9)

169.0 Sequelae of nontraumatic subarachnoid hemorrhage

169.01 Cognitive deficits following nontraumatic subarachnoid hemorrhage

I69.010 Attention and concentration deficit following nontraumatic subarachnoid hemorrhage

169.011 Memory deficit following nontraumatic subarachnoid hemorrhage

I69.012 Visuospatial deficit and spatial neglect following nontraumatic subarachnoid hemorrhage

169.013 Psychomotor deficit following nontraumatic subarachnoid hemorrhage



- I69.014 Frontal lobe and executive function deficit following nontraumatic subarachnoid hemorrhage
- I69.015 Cognitive social or emotional deficit following nontraumatic subarachnoid hemorrhage
- I69.018 Other symptoms and signs involving cognitive functions following nontraumatic subarachnoid hemorrhage
- I69.019 Unspecified symptoms and signs involving cognitive functions following nontraumatic subarachnoid hemorrhage

169.03 Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage

- I69.031 Monoplegia of upper limb following nontraumatic subarachnoid hemorrhageaffecting right dominant side
- 169.032 Monoplegia of upper limb following nontraumatic subarachnoid hemorrhageaffecting left dominant side
- 169.033 Monoplegia of upper limb following nontraumatic subarachnoid hemorrhageaffecting right non-dominant side
- I69.034 Monoplegia of upper limb following nontraumatic subarachnoid hemorrhageaffecting left non-dominant side

169.04 Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage

- I69.041 Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side
- 169.042 Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side
- 169.043 Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side
- 169.044 Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side

169.05 Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage

- I69.051 Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side
- 169.052 Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side
- 169.053 Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side
- I69.054 Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side

169.06 Other paralytic syndrome following nontraumatic subarachnoid hemorrhage

Use additional code to identify type of paralytic syndrome, such as: locked-in state (G83.5) quadriplegia (G82.5-)

Excludes1: hemiplegia/hemiparesis following nontraumatic subarachnoid hemorrhage (I69.05-)



monoplegia of lower limb following nontraumatic subarachnoid hemorrhage (169.04-)

monoplegia of upper limb following nontraumatic subarachnoid hemorrhage (I69.03-)

- I69.061 Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting right dominant side
- 169.062 Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left dominant side
- I69.063 Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting right non-dominant side
- 169.064 Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left non-dominant side
- 169.065 Other paralytic syndrome following nontraumatic subarachnoid hemorrhage, bilateral

169.09 Other sequelae of nontraumatic subarachnoid hemorrhage

- 169.090 Apraxia following nontraumatic subarachnoid hemorrhage
- 169.093 Ataxia following nontraumatic subarachnoid hemorrhage
- 169.098 Other sequelae following nontraumatic subarachnoid hemorrhage

Alterations of sensation following nontraumatic subarachnoid hemorrhage

Disturbance of vision following nontraumatic subarachnoid hemorrhage Use additional code to identify the sequelae

169.1 Sequelae of nontraumatic intracerebral hemorrhage

I69.11 Cognitive deficits following nontraumatic intracerebral hemorrhage

I69.110 Attention and concentration deficit following nontraumatic intracerebral hemorrhage

169.111 Memory deficit following nontraumatic intracerebral hemorrhage

I69.112 Visuospatial deficit and spatial neglect following nontraumatic intracerebral hemorrhage

169.113 Psychomotor deficit following nontraumatic intracerebral hemorrhage

I69.114 Frontal lobe and executive function deficit following nontraumatic intracerebral hemorrhage

I69.115 Cognitive social or emotional deficit following nontraumatic intracerebral hemorrhage

169.118 Other symptoms and signs involving cognitive functions following nontraumatic intracerebral hemorrhage

I69.119 Unspecified symptoms and signs involving cognitive functions following nontraumatic intracerebral hemorrhage

I69.13 Monoplegia of upper limb following nontraumatic intracerebral hemorrhage

I69.131 Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting right dominant side

I69.132 Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting left dominant side



169.133 Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side

I69.134 Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side

I69.139 Monoplegia of upper limb following intracerebral hemorrhage affecting unspecified side

169.14 Monoplegia of lower limb following nontraumatic intracerebral hemorrhage

- I69.141 Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side
- I69.142 Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side
- I69.143 Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side
- I69.144 Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side
- 169.149 Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side

169.15 Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage

- I69.151 Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side
- I69.152 Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side
- I69.153 Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side
- I69.154 Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side

169.19 Other sequelae of nontraumatic intracerebral hemorrhage

169.193 Ataxia following nontraumatic intracerebral hemorrhage

169.198 Other sequelae of nontraumatic intracerebral hemorrhage

Alteration of sensations following nontraumatic intracerebral hemorrhage

Disturbance of vision following nontraumatic intracerebral hemorrhage Use additional code to identify the sequelae

169.3 Seguelae of cerebral infarction

Sequelae of stroke NOS

169.31 Cognitive deficits following cerebral infarction

169.310 Attention and concentration deficit following cerebral infarction

169.311 Memory deficit following cerebral infarction

169.312 Visuospatial deficit and spatial neglect following cerebral infarction

169.313 Psychomotor deficit following cerebral infarction

I69.314 Frontal lobe and executive function deficit following cerebral infarction

169.315 Cognitive social or emotional deficit following cerebral infarction



169.318 Other symptoms and signs involving cognitive functions following cerebral infarction

I69.319 Unspecified symptoms and signs involving cognitive functions following cerebral infarction

169.33 Monoplegia of upper limb following cerebral infarction

- I69.331 Monoplegia of upper limb following cerebral infarction affecting right dominant side
- 169.332 Monoplegia of upper limb following cerebral infarction affecting left dominant side
- I69.333 Monoplegia of upper limb following cerebral infarction affecting right non-dominant side
- 169.334 Monoplegia of upper limb following cerebral infarction affecting left nondominant side
- 169.339 Monoplegia of upper limb following cerebral infarction affecting unspecified side

169.34 Monoplegia of lower limb following cerebral infarction

- I69.341 Monoplegia of lower limb following cerebral infarction affecting right dominant side
- 169.342 Monoplegia of lower limb following cerebral infarction affecting left dominant side
- 169.343 Monoplegia of lower limb following cerebral infarction affecting right non-dominant side
- 169.344 Monoplegia of lower limb following cerebral infarction affecting left nondominant side

169.35 Hemiplegia and hemiparesis following cerebral infarction

- I69.351 Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side
- 169.352 Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side
- I69.353 Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side
- 169.354 Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side

169.39 Other sequelae of cerebral infarction

- 169.393 Ataxia following cerebral infarction
- 169.398 Other seguelae of cerebral infarction

Alteration of sensation following cerebral infarction Disturbance of vision following cerebral infarction Use additional code to identify the sequelae

169.8 Sequelae of other cerebrovascular diseases

Excludes1: sequelae of traumatic intracranial injury (S06.-)



169.81 Cognitive deficits following other cerebrovascular disease

- I69.810 Attention and concentration deficit following other cerebrovascular disease
- 169.811 Memory deficit following other cerebrovascular disease
- I69.812 Visuospatial deficit and spatial neglect following other cerebrovascular disease
- 169.813 Psychomotor deficit following other cerebrovascular disease
- I69.814 Frontal lobe and executive function deficit following other cerebrovascular disease
- I69.815 Cognitive social or emotional deficit following other cerebrovascular disease
- 169.818 Other symptoms and signs involving cognitive functions following other cerebrovascular disease
- I69.819 Unspecified symptoms and signs involving cognitive functions following other cerebrovascular disease

169.83 Monoplegia of upper limb following other cerebrovascular disease

- I69.831 Monoplegia of upper limb following other cerebrovascular disease affecting right dominant side
- 169.832 Monoplegia of upper limb following other cerebrovascular disease affecting left dominant side
- 169.833 Monoplegia of upper limb following other cerebrovascular disease affecting right non-dominant side
- I69.834 Monoplegia of upper limb following other cerebrovascular disease affecting left non-dominant side

169.84 Monoplegia of lower limb following other cerebrovascular disease

- I69.841 Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side
- 169.842 Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side
- 169.843 Monoplegia of lower limb following other cerebrovascular disease affecting right non-dominant side
- 169.844 Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side

169.85 Hemiplegia and hemiparesis following other cerebrovascular disease

- I69.851 Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side
- I69.852 Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side
- I69.853 Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side
- I69.854 Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side
- 169.86 Other paralytic syndrome following other cerebrovascular disease

Use additional code to identify type of paralytic syndrome, such as:

©Copyright APTA 2016, ALL RIGHTS RESERVED.



locked-in state (G83.5) quadriplegia (G82.5-)

Excludes1: hemiplegia/hemiparesis following other cerebrovascular disease (169.85-)

monoplegia of lower limb following other cerebrovascular disease (169.84-)

monoplegia of upper limb following other cerebrovascular disease (169.83-)

- I69.861 Other paralytic syndrome following other cerebrovascular disease affecting right dominant side
- 169.862 Other paralytic syndrome following other cerebrovascular disease affecting left dominant side
- 169.863 Other paralytic syndrome following other cerebrovascular disease affecting right non-dominant side
- 169.864 Other paralytic syndrome following other cerebrovascular disease affecting left non-dominant side
- 169.865 Other paralytic syndrome following other cerebrovascular disease, bilateral

Concussion

Excludes1: concussion with other intracranial injuries classified in category S06- code to specified intracranial injury

S06.0 Concussion*

The appropriate 7th character is to be added to each code from category S06

- A initial encounter
- D subsequent encounter
- S sequela

S06.0X0 Concussion without loss of consciousness

S06.0X1 Concussion with loss of consciousness of 30 minutes or less

S06.0X2 Concussion with loss of consciousness of 31 minutes to 59 minutes

S06.0X3 Concussion with loss of consciousness of 1 hour to 5 hours 59 minutes

S06.0X4 Concussion with loss of consciousness of 6 hours to 24 hours

S06.0X5 Concussion with loss of consciousness greater than 24 hours with return to preexisting conscious level

S06.0X6 Concussion with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving

S06.0X7 Concussion with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness

S06.0X8 Concussion with loss of consciousness of any duration with death due to other cause prior to regaining consciousness

S06.0X9 Concussion with loss of consciousness of unspecified duration Concussion NOS



F07.81 Postconcussional syndrome

Postcontusional syndrome (encephalopathy)

Post-traumatic brain syndrome, nonpsychotic

Use additional code to identify associated post-traumatic headache, if applicable (G44.3-)

Excludes1: current concussion (brain) (S06.0-)

postencephalitic syndrome (F07.89)

Dementia

F01 Vascular dementia

Vascular dementia as a result of infarction of the brain due to vascular disease, including hypertensive cerebrovascular disease.

Includes: arteriosclerotic dementia

Code first the underlying physiological condition or sequelae of cerebrovascular disease.

F01.5 Vascular dementia

F01.50 Vascular dementia without behavioral disturbance

F01.51 Vascular dementia with behavioral disturbance

Vascular dementia with aggressive behavior

Vascular dementia with combative behavior

Vascular dementia with violent behavior

Use additional code, if applicable, to identify wandering in vascular dementia (Z91.83)

F02 Dementia in other diseases classified elsewhere

Code first the underlying physiological condition, such as:

Alzheimer's (G30.-)

cerebral lipidosis (E75.4)

Creutzfeldt-Jakob disease (A81.0-)

dementia with Lewy bodies (G31.83)

epilepsy and recurrent seizures (G40.-)

frontotemporal dementia (G31.09)

hepatolenticular degeneration (E83.0)

human immunodeficiency virus [HIV] disease (B20)

hypercalcemia (E83.52)

hypothyroidism, acquired (E00-E03.-)

intoxications (T36-T65)

Jakob-Creutzfeldt disease (A81.0-)

multiple sclerosis (G35)

neurosyphilis (A52.17)

niacin deficiency [pellagra] (E52)

Parkinson's disease (G20)

Pick's disease (G31.01)

polyarteritis nodosa (M30.0)

systemic lupus erythematosus (M32.-)

trypanosomiasis (B56.-, B57.-)

vitamin B deficiency (E53.8)

Last Updated: 09/29/16

Contact: practice-dept@apta.org



Excludes1: dementia with Parkinsonism (G31.83)

Excludes2: dementia in alcohol and psychoactive substance disorders (F10-F19, with .17, .27, .97)

vascular dementia (F01.5-)

F02.8 Dementia in other diseases classified elsewhere

F02.80 Dementia in other diseases classified elsewhere without behavioral disturbance

Dementia in other diseases classified elsewhere NOS

F02.81 Dementia in other diseases classified elsewhere with behavioral disturbance

Dementia in other diseases classified elsewhere with aggressive behavior

Dementia in other diseases classified elsewhere with combative behavior

Dementia in other diseases classified elsewhere with violent behavior **Use additional code**, if applicable, to identify wandering in dementia in conditions classified elsewhere (Z91.83)

F03 Unspecified dementia

Presenile dementia NOS

Presenile psychosis NOS

Primary degenerative dementia NOS

Senile dementia NOS

Senile dementia depressed or paranoid type

Senile psychosis NOS

Excludes1: senility NOS (R41.81)

Excludes2: mild memory disturbance due to known physiological condition (F06.8)

senile dementia with delirium or acute confusional state (F05)

F03.9 Unspecified dementia

F03.90 Unspecified dementia without behavioral disturbance

Dementia NOS

F03.91 Unspecified dementia with behavioral disturbance

Unspecified dementia with aggressive behavior

Unspecified dementia with combative behavior

Unspecified dementia with violent behavior

Use additional code, if applicable, to identify wandering in unspecified dementia (Z91.83)

G31.83 Dementia with Lewy bodies

Dementia with Parkinsonism Lewy body dementia Lewy body disease

Encephalopathy (toxic, metabolic, anoxic)

G92 Toxic encephalopathy

Toxic encephalitis

©Copyright APTA 2016, ALL RIGHTS RESERVED.

Last Updated: 09/29/16

Contact: practice-dept@apta.org



Toxic metabolic encephalopathy **Code first** (T51-T65) to identify toxic agent

G93.1 Anoxic brain damage, not elsewhere classified

Excludes1: cerebral anoxia due to anesthesia during labor and delivery (O74.3) cerebral anoxia due to anesthesia during the puerperium (O89.2) neonatal anoxia (P84)

G93.4 Other and unspecified encephalopathy

Excludes1: alcoholic encephalopathy (G31.2)

encephalopathy in diseases classified elsewhere (G94)

hypertensive encephalopathy (167.4)

toxic (metabolic) encephalopathy (G92)

G93.40 Encephalopathy, unspecified

G93.41 Metabolic encephalopathy

Septic encephalopathy

G93.49 Other encephalopathy

Encephalopathy NEC

Multiple Sclerosis

G35 Multiple sclerosis

Disseminated multiple sclerosis

Generalized multiple sclerosis

Multiple sclerosis NOS

Multiple sclerosis of brain stem

Multiple sclerosis of cord

Myasthenia gravis

G70.0 Myasthenia gravis

G70.00 Myasthenia gravis without (acute) exacerbation

Myasthenia gravis NOS

G70.01 Myasthenia gravis with (acute) exacerbation

Myasthenia gravis in crisis

Normal pressure hydrocephalus

G91 Hydrocephalus

Includes: acquired hydrocephalus

Excludes1: Arnold-Chiari syndrome with hydrocephalus (Q07.-)

congenital hydrocephalus (Q03.-)

spina bifida with hydrocephalus (Q05.-)

G91.0 Communicating hydrocephalus

Secondary normal pressure hydrocephalus

G91.1 Obstructive hydrocephalus

G91.2 (Idiopathic) normal pressure hydrocephalus

Normal pressure hydrocephalus NOS

G91.3 Post-traumatic hydrocephalus, unspecified

G91.4 Hydrocephalus in diseases classified elsewhere



Code first underlying condition, such as:

congenital syphilis (A50.4-)

neoplasm (C00-D49)

Excludes1: hydrocephalus due to congenital toxoplasmosis (P37.1)

G91.8 Other hydrocephalus

G91.9 Hydrocephalus, unspecified

Parkinson's disease

G20 Parkinson's disease

Hemiparkinsonism

Idiopathic Parkinsonism or Parkinson's disease

Paralysis agitans

Parkinsonism or Parkinson's disease NOS

Primary Parkinsonism or Parkinson's disease

Excludes1: dementia with Parkinsonism (G31.83)

G21 Secondary parkinsonism

Excludes1: dementia with Parkinsonism (G31.83)

Huntington's disease (G10)

Shy-Drager syndrome (G90.3)

syphilitic Parkinsonism (A52.19)

G21.0 Malignant neuroleptic syndrome

Use additional code for adverse effect, if applicable, to identify drug (T43.3X5,

T43.4X5, T43.505, T43.595)

Excludes1: neuroleptic induced parkinsonism (G21.11)

G21.1 Other drug-induced secondary parkinsonism

G21.11 Neuroleptic induced parkinsonism

Use additional code for adverse effect, if applicable, to identify drug (T43.3X5, T43.4X5, T43.505,T43.595)

Excludes1: malignant neuroleptic syndrome (G21.0)

G21.19 Other drug induced secondary parkinsonism

Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixthcharacter 5)

G21.2 Secondary parkinsonism due to other external agents

Code first (T51-T65) to identify external agent

G21.3 Postencephalitic parkinsonism (no further details)

G21.4 Vascular parkinsonism (no further details)

G21.8 Other secondary parkinsonism (no further details)

G21.9 Secondary parkinsonism, unspecified (no further details)

Peripheral neuropathy

G63 Polyneuropathy in diseases classified elsewhere

Code first underlying disease, such as:

amyloidosis (E85.-)

endocrine disease, except diabetes (E00-E07, E15-E16, E20-E34)

©Copyright APTA 2016, ALL RIGHTS RESERVED.



metabolic diseases (E70-E88)

neoplasm (C00-D49)

nutritional deficiency (E40-E64)

Excludes1: polyneuropathy (in):

diabetes mellitus (E08-E13 with .42)

diphtheria (A36.83)

infectious mononucleosis (B27.0-B27.9 with 1)

Lyme disease (A69.22)

mumps (B26.84)

postherpetic (B02.23)

rheumatoid arthritis (M05.33)

scleroderma (M34.83)

systemic lupus erythematosus (M32.19)

E10.4 Type 1 diabetes mellitus with neurological complications

E10.40 Type 1 diabetes mellitus with diabetic neuropathy, unspecified

E10.42 Type 1 diabetes mellitus with diabetic polyneuropathy

Type 1 diabetes mellitus with diabetic neuralgia

E10.44 Type 1 diabetes mellitus with diabetic amyotrophy

E10.49 Type 1 diabetes mellitus with other diabetic neurological complication

E11.4 Type 2 diabetes mellitus with neurological complications

E11.40 Type 2 diabetes mellitus with diabetic neuropathy, unspecified

E11.42 Type 2 diabetes mellitus with diabetic polyneuropathy

Type 2 diabetes mellitus with diabetic neuralgia

E11.44 Type 2 diabetes mellitus with diabetic amyotrophy

E11.49 Type 2 diabetes mellitus with other diabetic neurological complication

Spinal cord injury

S14 Injury of nerves and spinal cord at neck level

Note: Code to highest level of cervical cord injury

Code also any associated:

fracture of cervical vertebra (\$12.0--\$12.6.-)

open wound of neck (S11.-)

transient paralysis (R29.5)

The appropriate 7th character is to be added to each code from category \$14

A - initial encounter

D - subsequent encounter

S - seguela

S14.0 Concussion and edema of cervical spinal cord (no further details)

S14.1 Other and unspecified injuries of cervical spinal cord

S14.10 Unspecified injury of cervical spinal cord

S14.101 Unspecified injury at C1 level of cervical spinal cord

S14.102 Unspecified injury at C2 level of cervical spinal cord

S14.103 Unspecified injury at C3 level of cervical spinal cord

S14.104 Unspecified injury at C4 level of cervical spinal cord



S14.105 Unspecified injury at C5 level of cervical spinal cord
S14.106 Unspecified injury at C6 level of cervical spinal cord
S14.107 Unspecified injury at C7 level of cervical spinal cord
S14.108 Unspecified injury at C8 level of cervical spinal cord
S14.109 Unspecified injury at unspecified level of cervical spinal cord
Injury of cervical spinal cord NOS

S14.11 Complete lesion of cervical spinal cord

S14.111 Complete lesion at C1 level of cervical spinal cord
S14.112 Complete lesion at C2 level of cervical spinal cord
S14.113 Complete lesion at C3 level of cervical spinal cord
S14.114 Complete lesion at C4 level of cervical spinal cord
S14.115 Complete lesion at C5 level of cervical spinal cord
S14.116 Complete lesion at C6 level of cervical spinal cord
S14.117 Complete lesion at C7 level of cervical spinal cord
S14.118 Complete lesion at C8 level of cervical spinal cord
S14.119 Complete lesion at unspecified level of cervical spinal cord

S14.12 Central cord syndrome of cervical spinal cord

S14.121 Central cord syndrome at C1 level of cervical spinal cord S14.122 Central cord syndrome at C2 level of cervical spinal cord S14.123 Central cord syndrome at C3 level of cervical spinal cord S14.124 Central cord syndrome at C4 level of cervical spinal cord S14.125 Central cord syndrome at C5 level of cervical spinal cord S14.126 Central cord syndrome at C6 level of cervical spinal cord S14.127 Central cord syndrome at C7 level of cervical spinal cord S14.128 Central cord syndrome at C8 level of cervical spinal cord S14.129 Central cord syndrome at unspecified level of cervical spinal cord

S14.13 Anterior cord syndrome of cervical spinal cord

S14.131 Anterior cord syndrome at C1 level of cervical spinal cord S14.132 Anterior cord syndrome at C2 level of cervical spinal cord S14.133 Anterior cord syndrome at C3 level of cervical spinal cord S14.134 Anterior cord syndrome at C4 level of cervical spinal cord S14.135 Anterior cord syndrome at C5 level of cervical spinal cord S14.136 Anterior cord syndrome at C6 level of cervical spinal cord S14.137 Anterior cord syndrome at C7 level of cervical spinal cord S14.138 Anterior cord syndrome at C8 level of cervical spinal cord S14.139 Anterior cord syndrome at unspecified level of cervical spinal cord

S14.14 Brown-Séquard syndrome of cervical spinal cord

S14.141 Brown-Séquard syndrome at C1 level of cervical spinal cord S14.142 Brown-Séquard syndrome at C2 level of cervical spinal cord S14.143 Brown-Séquard syndrome at C3 level of cervical spinal cord S14.144 Brown-Séquard syndrome at C4 level of cervical spinal cord S14.145 Brown-Séquard syndrome at C5 level of cervical spinal cord S14.146 Brown-Séquard syndrome at C6 level of cervical spinal cord



S14.147 Brown-Séquard syndrome at C7 level of cervical spinal cord S14.148 Brown-Séquard syndrome at C8 level of cervical spinal cord S14.149 Brown-Séquard syndrome at unspecified level of cervical spinal cord

S14.15 Other incomplete lesions of cervical spinal cord

Incomplete lesion of cervical spinal cord NOS Posterior cord syndrome of cervical spinal cord

S14.151 Other incomplete lesion at C1 level of cervical spinal cord

S14.152 Other incomplete lesion at C2 level of cervical spinal cord

S14.153 Other incomplete lesion at C3 level of cervical spinal cord

S14.154 Other incomplete lesion at C4 level of cervical spinal cord

S14.155 Other incomplete lesion at C5 level of cervical spinal cord

S14.156 Other incomplete lesion at C6 level of cervical spinal cord S14.157 Other incomplete lesion at C7 level of cervical spinal cord

S14.158 Other incomplete lesion at C8 level of cervical spinal cord

 ${\sf S14.159}$ Other incomplete lesion at unspecified level of cervical spinal

S24 Injury of nerves and spinal cord at thorax level

Note: Code to highest level of thoracic spinal cord injury

Injuries to the spinal cord (S24.0 and S24.1) refer to the cord level and not bone level injury, and can affect nerve roots at and below the level given.

Code also any associated:

fracture of thoracic vertebra (S22.0-)

open wound of thorax (S21.-)

transient paralysis (R29.5)

Excludes2: injury of brachial plexus (S14.3)

The appropriate 7th character is to be added to each code from category S24

A - initial encounter

D – subsequent encounter

S – seguela

S24.0 Concussion and edema of thoracic spinal cord (no further details)

S24.1 Other and unspecified injuries of thoracic spinal cord

S24.10 Unspecified injury of thoracic spinal cord

S24.101 Unspecified injury at T1 level of thoracic spinal cord

S24.102 Unspecified injury at T2-T6 level of thoracic spinal cord

S24.103 Unspecified injury at T7-T10 level of thoracic spinal cord

S24.104 Unspecified injury at T11-T12 level of thoracic spinal cord

S24.109 Unspecified injury at unspecified level of thoracic spinal cord

Injury of thoracic spinal cord NOS

S24.11 Complete lesion of thoracic spinal cord

S24.111 Complete lesion at T1 level of thoracic spinal cord

S24.112 Complete lesion at T2-T6 level of thoracic spinal cord

S24.113 Complete lesion at T7-T10 level of thoracic spinal cord

S24.114 Complete lesion at T11-T12 level of thoracic spinal cord



S24.119 Complete lesion at unspecified level of thoracic spinal cord

S24.13 Anterior cord syndrome of thoracic spinal cord

S24.131 Anterior cord syndrome at T1 level of thoracic spinal cord

S24.132 Anterior cord syndrome at T2-T6 level of thoracic spinal cord

S24.133 Anterior cord syndrome at T7-T10 level of thoracic spinal cord

S24.134 Anterior cord syndrome at T11-T12 level of thoracic spinal cord

S24.139 Anterior cord syndrome at unspecified level of thoracic spinal cord

S24.14 Brown-Séquard syndrome of thoracic spinal cord

S24.141 Brown-Séguard syndrome at T1 level of thoracic spinal cord

S24.142 Brown-Séguard syndrome at T2-T6 level of thoracic spinal cord

S24.143 Brown-Séquard syndrome at T7-T10 level of thoracic spinal cord

S24.144 Brown-Séquard syndrome at T11-T12 level of thoracic spinal

S24.149 Brown-Séquard syndrome at unspecified level of thoracic spinal cord

S24.15 Other incomplete lesions of thoracic spinal cord

Incomplete lesion of thoracic spinal cord NOS

Posterior cord syndrome of thoracic spinal cord

S24.151 Other incomplete lesion at T1 level of thoracic spinal cord

S24.152 Other incomplete lesion at T2-T6 level of thoracic spinal cord

S24.153 Other incomplete lesion at T7-T10 level of thoracic spinal cord

S24.154 Other incomplete lesion at T11-T12 level of thoracic spinal cord

S24.159 Other incomplete lesion at unspecified level of thoracic spinal cord

S34 Injury of lumbar and sacral spinal cord and nerves at abdomen, lower back and pelvis level

Note: Code to highest level of lumbar cord injury

Injuries to the spinal cord (S34.0 and S34.1) refer to the cord level and not bone level injury, and can affect nerve roots at and below the level given.

Code also any associated:

fracture of vertebra (S22.0-, S32.0-)

open wound of abdomen, lower back and pelvis (S31.-)

transient paralysis (R29.5)

The appropriate 7th character is to be added to each code from category S34

A - initial encounter

D - subsequent encounter

S – sequela

S34.0 Concussion and edema of lumbar and sacral spinal cord

S34.01 Concussion and edema of lumbar spinal cord

S34.02 Concussion and edema of sacral spinal cord

Concussion and edema of conus medullaris



S34.1 Other and unspecified injury of lumbar and sacral spinal cord
S34.10 Unspecified injury to lumbar spinal cord

S34.101 Unspecified injury to L1 level of lumbar spinal cord

S34.102 Unspecified injury to L2 level of lumbar spinal cord

S34.103 Unspecified injury to L3 level of lumbar spinal cord

S34.104 Unspecified injury to L4 level of lumbar spinal cord

S34.105 Unspecified injury to L5 level of lumbar spinal cord

S34.109 Unspecified injury to unspecified level of lumbar spinal cord

S34.11 Complete lesion of lumbar spinal cord

S34.111 Complete lesion of L1 level of lumbar spinal cord

S34.112 Complete lesion of L2 level of lumbar spinal cord

S34.113 Complete lesion of L3 level of lumbar spinal cord

S34.114 Complete lesion of L4 level of lumbar spinal cord

S34.115 Complete lesion of L5 level of lumbar spinal cord

S34.119 Complete lesion of unspecified level of lumbar spinal cord

S34.12 Incomplete lesion of lumbar spinal cord

S34.121 Incomplete lesion of L1 level of lumbar spinal cord

S34.122 Incomplete lesion of L2 level of lumbar spinal cord

S34.123 Incomplete lesion of L3 level of lumbar spinal cord

S34.124 Incomplete lesion of L4 level of lumbar spinal cord

S34.125 Incomplete lesion of L5 level of lumbar spinal cord

S34.129 Incomplete lesion of unspecified level of lumbar spinal cord

S34.13 Other and unspecified injury to sacral spinal cord

Other injury to conus medullaris

S34.131 Complete lesion of sacral spinal cord

Complete lesion of conus medullaris

S34.132 Incomplete lesion of sacral spinal cord

Incomplete lesion of conus medullaris

S34.139 Unspecified injury to sacral spinal cord

Unspecified injury of conus medullaris

Last Updated: 09/29/16

Contact: practice-dept@apta.org

Vestibular disorders

H82 Vertiginous syndromes in diseases classified elsewhere

Code first underlying disease

Excludes1: epidemic vertigo (A88.1)

H82.1 Vertiginous syndromes in diseases classified elsewhere, right ear

H82.2 Vertiginous syndromes in diseases classified elsewhere, left ear

H82.3 Vertiginous syndromes in diseases classified elsewhere, bilateral

H82.9 Vertiginous syndromes in diseases classified elsewhere, unspecified ear

H83 Other diseases of inner ear

H83.0 Labyrinthitis

H83.01 Labyrinthitis, right ear

H83.02 Labyrinthitis, left ear

H83.03 Labyrinthitis, bilateral



H83.09 Labyrinthitis, unspecified ear

H83.1 Labyrinthine fistula

H83.11 Labyrinthine fistula, right ear

H83.12 Labyrinthine fistula, left ear

H83.13 Labyrinthine fistula, bilateral

H83.19 Labyrinthine fistula, unspecified ear

H83.2 Labyrinthine dysfunction

Labyrinthine hypersensitivity

Labyrinthine hypofunction

Labyrinthine loss of function

H83.2X Labyrinthine dysfunction

H83.2X1 Labyrinthine dysfunction, right ear

H83.2X2 Labyrinthine dysfunction, left ear

H83.2X3 Labyrinthine dysfunction, bilateral

H83.2X9 Labyrinthine dysfunction, unspecified ear

Signs and symptoms commonly seen in patients with neurologic related health conditions

G83 Other paralytic syndromes

Note: This category is to be used only when the listed conditions are reported without further specification, or are stated to be old or longstanding but of unspecified cause. The category is also for use in multiple coding to identify these conditions resulting from any cause.

Includes: paralysis (complete) (incomplete), except as in G80-G82

G83.0 Diplegia of upper limbs

Diplegia (upper)

Paralysis of both upper limbs

G83.1 Monoplegia of lower limb

Paralysis of lower limb

Excludes1: monoplegia of lower limbs due to sequela of cerebrovascular disease (169.04-, 169.14-, 169.24-, 169.34-, 169.84-, 169.94-)

G83.10 Monoplegia of lower limb affecting unspecified side

G83.11 Monoplegia of lower limb affecting right dominant side

G83.12 Monoplegia of lower limb affecting left dominant side

G83.13 Monoplegia of lower limb affecting right nondominant side

G83.14 Monoplegia of lower limb affecting left nondominant side

G83.2 Monoplegia of upper limb

Paralysis of upper limb

Excludes1: monoplegia of upper limbs due to sequela of cerebrovascular disease (169.03-, 169.13-, 169.23-, 169.33-, 169.83-, 169.93-)

G83.20 Monoplegia of upper limb affecting unspecified side

G83.21 Monoplegia of upper limb affecting right dominant side

G83.22 Monoplegia of upper limb affecting left dominant side



G83.23 Monoplegia of upper limb affecting right nondominant side G83.24 Monoplegia of upper limb affecting left nondominant side

G83.3 Monoplegia, unspecified

G83.31 Monoplegia, unspecified affecting right dominant side

G83.32 Monoplegia, unspecified affecting left dominant side

G83.33 Monoplegia, unspecified affecting right nondominant side

G83.34 Monoplegia, unspecified affecting left nondominant side

G83.4 Cauda equina syndrome

Neurogenic bladder due to cauda equina syndrome

Excludes1: cord bladder NOS (G95.89)

neurogenic bladder NOS (N31.9)

G83.5 Locked-in state

G83.8 Other specified paralytic syndromes

Excludes1: paralytic syndromes due to current spinal cord injury-code to spinal cord injury (S14, S24, S34)

G83.81 Brown-Séquard syndrome

G83.82 Anterior cord syndrome

G83.83 Posterior cord syndrome

G83.84 Todd's paralysis (postepileptic)

G83.89 Other specified paralytic syndromes

G83.9 Paralytic syndrome, unspecified

R26 Abnormalities of gait and mobility

Excludes1: ataxia NOS (R27.0)

hereditary ataxia (G11.-)

locomotor (syphilitic) ataxia (A52.11)

immobility syndrome (paraplegic) (M62.3)

R26.0 Ataxic gait

Staggering gait

R26.1 Paralytic gait

Spastic gait

R26.2 Difficulty in walking, not elsewhere classified

Excludes: falling R29.6

unsteadiness on feet (R26.81)

R26.8 Other abnormalities of gait and mobility

R26.81 Unsteadiness on feet

R26.89 Other abnormalities of gait and mobility

R26.9 Unspecified abnormalities of gait and mobility

R27 Other lack of coordination

Excludes1: ataxic gait (R26.0)

hereditary ataxia (G11.-)

vertigo NOS (R42)



R27.0 Ataxia, unspecified

Excludes1: ataxia following cerebrovascular disease (I69. with final characters -93)

R27.8 Other lack of coordination

R27.9 Unspecified lack of coordination

R29.3 Abnormal posture (no further details)

R29.6 Repeated falls

Falling

Tendency to fall

Excludes2: at risk for falling (Z91.81)

Z91.81 History of falling

At risk for falling