

**Quality ID #155 (NQF: 0101): Falls: Plan of Care**

– National Quality Strategy Domain: Communication and Care Coordination

– Meaningful Measure Area: Preventable Healthcare Harm

**2019 COLLECTION TYPE:**  
**MEDICARE PART B CLAIMS**

**MEASURE TYPE:**  
Process – High Priority

This is a two-part measure which is paired with Measure #154: Falls: Risk Assessment.

This measure should be submitted if CPT II code 1100F “Patient screened for future falls risk; documentation of two or more falls in the past year or any fall with injury in the past year” is submitted for Measure #154.

**DESCRIPTION:**

Percentage of patients aged 65 years and older with a history of falls that had a plan of care for falls documented within 12 months

**INSTRUCTIONS:**

This measure is to be submitted a minimum of **once per performance period** for patients seen during the performance period. There is no diagnosis associated with this measure. This measure is appropriate for use in all non-acute settings (with the exception of emergency departments and acute care hospitals). This measure may be submitted by Merit-based Incentive Payment System (MIPS) eligible clinicians who perform the quality actions described in the measure based on the services provided and the measure-specific denominator coding.

**Measure Submission Type:**

Measure data may be submitted by individual MIPS eligible clinicians using Medicare Part B claims. The listed denominator criteria are used to identify the intended patient population. The numerator quality-data codes included in this specification are used to submit the quality actions allowed by the measure on the claim form(s). All measure-specific coding should be submitted on the claim(s) representing the denominator eligible encounter and selected numerator option.

**DENOMINATOR:**

All patients aged 65 years and older with a history of falls (history of falls is defined as 2 or more falls in the past year or any fall with injury in the past year). Documentation of patient reported history of falls is sufficient

**Denominator Criteria (Eligible Cases):**

Patients aged  $\geq$  65 years on date of encounter

**AND**

All eligible instances when **CPT II code 1100F** (Patient screened for future fall risk; documentation of two or more falls in the past year or any fall with injury in the past year) is submitted in the numerator for Measure#154

**AND**

**Patient encounter during the performance period (CPT or HCPCS):** 92540, 92541, 92542, 92548, 97161, 97162, 97163, 97164, 97165, 97166, 97167, 97168, 99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0402, G0438, G0439

**NUMERATOR:**

Patients with a plan of care for falls documented within 12 months

**Definitions:**

**Plan of Care** – Must include: balance, strength, and gait training.

**Balance, Strength, and Gait Training** – Medical record must include: documentation that balance, strength, and gait training/instructions were provided OR referral to an exercise program, which includes at least one of the three components: balance, strength or gait OR referral to physical therapy.

**Fall** – A sudden, unintentional change in position causing an individual to land at a lower level, on an object, the floor, or the ground, other than as a consequence of sudden onset of paralysis, epileptic seizure, or overwhelming external force.

**Numerator Instructions:**

All components do not need to be completed during one patient visit, but should be documented in the medical record as having been performed within the past 12 months.

**Numerator Quality-Data Coding Options:**

**Patient receiving Hospice Services, Patient Not Eligible:**

**Denominator Exclusion: G9720:** Hospice services for patient occurred any time during the measurement period

**OR**

**Plan of Care Documented**

**Performance Met: CPT II 0518F:** Falls plan of care documented

**OR**

**Risk Assessment for Falls not Completed for Medical Reasons**

**Denominator Exception: 0518F with 1P** Patient not ambulatory, bed ridden, immobile, confined to chair, wheelchair bound, dependent on helper pushing wheelchair, independent in wheelchair or minimal help in wheelchair

**OR**

**Plan of Care not Documented, Reason not Otherwise Specified**

Append a submission modifier (8P) to CPT Category II code 0518F to submit circumstances when the action described in the numerator is not performed and the reason is not otherwise specified.

**Performance Not Met: 0518F with 8P:** Falls plan of care not documented, reason not otherwise specified

**RATIONALE:**

Interventions to prevent future falls should be documented for the patient with 2 or more falls or injurious falls.

**CLINICAL RECOMMENDATION STATEMENTS:**

The USPSTF recommends exercise or physical therapy to prevent falls in community-dwelling adults aged 65 years or older who are at increased risk for falls.

Grade: B Recommendation.

The AGS 2010 Clinical Practice Guidelines Recommend:

Multifactorial/Multicomponent Interventions to Address Identified Risk(s) and Prevent Falls

1. A strategy to reduce the risk of falls should include multifactorial assessment of known fall risk factors and management of the risk factors identified. [A]
2. The components most commonly included in efficacious interventions were:
  - a. Adaptation or modification of home environment [A]
  - b. Withdrawal or minimization of psychoactive medications [B]
  - c. Withdrawal or minimization of other medications [C]
  - d. Management of postural hypotension [C]
  - e. Management of foot problems and footwear [C]
  - f. Exercise, particularly balance, strength, and gait training [A]

3. All older adults who are at risk of falling should be offered an exercise program incorporating balance, gait, and strength training. Flexibility and endurance training should also be offered, but not as sole components of the program. [A]
4. Multifactorial/multicomponent intervention should include an education component complementing and addressing issues specific to the intervention being provided, tailored to individual cognitive function and language. [C]
5. The health professional or team conducting the fall risk assessment should directly implement the interventions or should assure that the interventions are carried out by other qualified healthcare professionals. [A]

**COPYRIGHT:**

This Physician Performance Measure (Measure) and related data specifications have been developed by the PCPI(R) Foundation (PCPI[R]) and the National Committee for Quality Assurance (NCQA). This Measure is not a clinical guideline and does not establish a standard of medical care, and has not been tested for all potential applications. The Measure, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g., use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measure for commercial gain, or incorporation of the Measure into a product or service that is sold, licensed or distributed for commercial gain. Commercial uses of the Measure require a license agreement between the user and the PCPI(R) or NCQA. Neither the American Medical Association (AMA), nor the former AMA-convened Physician Consortium for Performance Improvement(R), PCPI, NCQA nor its members shall be responsible for any use of the Measure. (C) 2018 National Committee for Quality Assurance and PCPI (R) Foundation. All Rights Reserved.


Limited proprietary coding is contained in the Measure specifications for user convenience. Users of proprietary code sets should obtain all necessary licenses from the owners of the code sets. NCQA disclaims all liability for use or accuracy of any CPT or other codes contained in the specifications.

CPT(R) contained in the Measure specifications is copyright 2004-2018 American Medical Association. LOINC(R) copyright 2004-2018 Regenstrief Institute, Inc. This material contains SNOMED Clinical Terms(R) (SNOMED CT[R]) copyright 2004-2018 International Health Terminology Standards Development Organisation. ICD-10 copyright 2018 World Health Organization. All Rights Reserved.

The performance Measure is not a clinical guideline and does not establish a standard of medical care, and has not been tested for all potential applications.

**THE MEASURE AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.**

## 2019 Medicare Part B Claims Flow for Quality ID #155 NQF #0101: Falls: Plan of Care



### SAMPLE CALCULATIONS:

**Data Completeness=**  
 Denominator Exclusion (x=10 patients) + Performance Met (a=30 patients) + Denominator Exception (b=10 patients) + Performance Not Met (c=20 patients) = 70 patients = 87.50%  
 Eligible Population / Denominator (d=80 patients) = 80 patients

**Performance Rate=**  
 Performance Met (a=30 patients) = 30 patients = 60%  
 Data Completeness Numerator (70 patients) - Denominator Exclusion (x=10 patient) - Denominator Exception (b=10patient) = 50 patients

\* See the posted Measure Specification for specific coding and instructions to submit this measure.

\*\* Submitting measure #154 is a precursor for submitting this measure. Patients where 1100F without modifier or equivalent (documentation of 2 or more falls or any fall with injury in past year) is submitted in measure #154 are pulled into the denominator for measure #155.

NOTE: Submission Frequency: Patient process

CPT only copyright 2018 American Medical Association. All rights reserved.  
 The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.

**2019 Medicare Part B Claims Flow Narrative for Quality ID #155 NQF #0101:  
Falls: Plan of Care**

Please refer to the specific section of the specification to identify the denominator and numerator information for use in submitting this Individual Specification.

1. Start with Denominator
2. Check Patient Age:
  - a. If Patient Age is greater than or equal to 65 Years on Date of Service equals No during the measurement period, do not include in Eligible Population. Stop Processing.
  - b. If Patient Age is greater than or equal to 65 Years on Date of Service equals Yes during the measurement period, proceed to check Documentation of Two or More Falls or Any Fall with Injury in the Past Year.
3. Check Documentation of Two or More Falls or Any Fall with Injury in the Past Year:
  - a. If Documentation of Two or More Falls or Any Fall with Injury in the Past Year equals No, do not include in Eligible Population. Stop Processing.
  - b. If Documentation of Two or More Falls or Any Fall with Injury in the Past Year equals Yes, proceed to check Encounter Performed.
4. Check Encounter Performed:
  - a. If Encounter as Listed in the Denominator equals No, do not include in Eligible Population. Stop Processing.
  - b. If Encounter as Listed in the Denominator equals Yes, include in Eligible Population.
5. Denominator Population:
  - a. Denominator Population is all Eligible Patients in the Denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 80 patients in the Sample Calculation.
6. Start Numerator
7. Check Hospice Services For Patient Occurred Any Time During the Measurement Period:
  - a. If Hospice Services For Patient Occurred Any Time During the Measurement Period equals Yes, include in Data Completeness Met and Denominator Exclusion.
  - b. Data Completeness Met and Denominator Exclusion letter is represented as Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter x equals 10 patients in Sample Calculation.
  - c. If Hospice Services For Patient Occurred Any Time During the Measurement Period equals No, proceed to check Falls Plan of Care Documented.
8. Check Falls Plan of Care Documented:
  - a. If Falls Plan of Care Documented equals Yes, include in Data Completeness Met and Performance Met.

- b. Data Completeness Met and Performance Met letter is represented as Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 30 patients in Sample Calculation.
  - c. If Falls Plan of Care Documented equals No, proceed to check Patient is not Ambulatory, Bed Ridden, Immobile, Confined to Chair, Wheelchair Bound, Dependent on Helper Pushing Wheelchair, Independent in Wheelchair or Minimal Help in Wheelchair.
9. Check Patient is not Ambulatory, Bed Ridden, Immobile, Confined to Chair, Wheelchair Bound, Dependent on Helper Pushing Wheelchair, Independent in Wheelchair or Minimal Help in Wheelchair:
- a. If Patient is not Ambulatory, Bed Ridden, Immobile, Confined to Chair, Wheelchair Bound, Dependent on Helper Pushing Wheelchair, Independent in Wheelchair or Minimal Help in Wheelchair equals Yes, include in Data Completeness Met and Denominator Exception.
  - b. Data Completeness Met and Denominator Exception letter is represented as Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter b equals 10 patients in Sample Calculation.
  - c. If Patient is not Ambulatory, Bed Ridden, Immobile, Confined to Chair, Wheelchair Bound, Dependent on Helper Pushing Wheelchair, Independent in Wheelchair or Minimal Help in Wheelchair equals No, proceed to check Falls Plan of Care Not Documented, Reason Not Specified.
10. Check Falls Plan of Care Not Documented, Reason Not Specified:
- a. If Falls Plan of Care Not Documented, Reason Not Specified equals Yes, include in the Data Completeness Met and Performance Not Met.
  - b. Data Completeness Met and Performance Not Met letter is represented as Data Completeness in the Sample Calculation listed at the end of this document. Letter c equals 20 patients in the Sample Calculation.
  - c. If Falls Risk Assessment Not Completed, Reason Not Specified equals No, proceed to check Data Completeness Not Met.
11. Check Data Completeness Not Met:
- a. If Data Completeness Not Met, the Quality Data Code was not submitted. 10 patients have been subtracted from the Data Completeness Numerator in the Sample Calculation.

**SAMPLE CALCULATIONS:**

**Data Completeness=**  

$$\frac{\text{Denominator Exclusion (x=10 patients)} + \text{Performance Met (a=30 patients)} + \text{Denominator Exception (b=10 patients)} + \text{Performance Not Met (c=20 patients)}}{\text{Eligible Population / Denominator (d=80 patients)}} = \frac{70 \text{ patients}}{80 \text{ patients}} = 87.50\%$$

**Performance Rate=**  

$$\frac{\text{Performance Met (a=30 patients)}}{\text{Data Completeness Numerator (70 patients) - Denominator Exclusion (x=10 patient) - Denominator Exception (b=10patient)}} = \frac{30 \text{ patients}}{50 \text{ patients}} = 60\%$$